






PRODUCT CATALOG


 www.benefitbee.com

 +86 755 89697771

 info@benefitbee.com

 +86 755 89697772

 FL5, Building 6, Liantang Industrial Zone, 48 Kangzheng Road, Danzhotou.
Nanwan Street Office, Longgang District, Shenzhen, China 518114



COMPANY DESCRIPTION

◆ FACTORY

Benefitbee owns hardware, plastic and wooden-ware factory to produce around 1300 beekeeping tools with competitive price and quality.



Chile



Greece



Australia



Canada



Africa

EXHIBITION ◆

Every exhibition is a stage for us to show our strength to the world. With our rich experience and professional skills, we have won countless praises and cooperation opportunities in exhibitions in various countries.

◆ PRODUCT SHOWROOM

Our showroom usually welcomes customers and partners from all over the world, who come here to learn about our products and establish deep cooperative relationships with us.



WHY CHOOSE US?



PROFESSIONAL

As a leading solution provider for beekeeping, Benefitbee has been a supplier of beekeeping tools for 15 years.



INVENTORY CAPACITY

Our regular inventory amount reaches \$2,000,000 to keep leading time of 90% products within 7-15 days.



FACTORY

Benefitbee owns hardware, plastic and wooden-ware factory to produce around 1300 beekeeping tools with competitive price and quality.



PATENTS





We own R&D team to invest more than USD 15,000 on R&D with nearly 100 patented products.












CONFIDENTIAL



Benefitbee always keeps confidential for every customer's OEM and ODM business.






PRODUCT CATALOGUE

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H01	Langstroth Beehive(US style)		Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	1		
H02	Australia beehive		Size: 10Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	2		
H02-2	Australia beehive (Waxed+ painted)		Size: 10Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine	100	2		
H03	Italy hive		10frames: Deep hive body size:L515mm*W425mm*H294mm (thickness 25mm) ,shallow super size:L515mm*W425mm*H168mm (thickness 25mm) Material:New Zealand Pine wood(splicing wood) unassemble packing	200	2		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H04	Langstroth queen rearing box (5 frames)		Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	2		
H04-2	5er Zander Ableger		Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 feeder (wax boiling) Material: splicing board, New Zealand pine	100	1		
H05	Flow hive		Size: 10Frames Configuration: With 1 large cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 245), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, fir knotted splicing board (with scars), Packaging: wax cooking, painting,Bulk, can be customized assembly	50	1		
H06	Nuc bee box (Calcium plastic)		Material:Calcium plastic Size: any specifications can be customized	100	25		
H06-2	Nuc bee box (Calcium plastic)		Material:Calcium plastic Size: any specifications can be customized	100	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H06-5	Nuc Mesh Transport Bag		Size: 1*0.6M	100	100		
H07	Multifunction plastic beehive		Material: PS Size:LWH: 52X45X69cm,Hive inner size :468X370X270mm,plate thickness:33mm,Hive outer size:520X445mmX270mm,Front/ back& Top have 80X35mm hand mouth, 160X104mm clearstory in the middle,Left/right have 80X35mm hand mouth,Queen excluder: LWH 510X407X10mm.	30	1		
H08	Double layer plastic beehive		Material: PP, hive without frame, hive ring size:490x370x260cm hive ring slot:10cm suitable length:490 & 483 frames plastic bottom size:540x440x55cm , large plastic lid size:550x470x80cm, \$3 extra with thermometer, large lid size 30mm;Insulation filling layer, heat insulation	30	1		
H09	Insulation beehive		Material: Insulation board, Standard configuration: 1pcs 245mm box with bottom plate, 2pcs 168mm super boxes, 1pcs lid, 1pcs metal excluder, and 1pcs metal nest door	400	1		
H10	Queen bee mating box/nucbox (50g density)		Size:24x15x17cm,material:EPS	24	24		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H10-2	BB Nuc box/Queen mating box (120 g density)		Size:24x15x17cm,material:EPS Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, foam density 120g	24	24		
H10-3	BB Plastic nuc box/Queen mating box (HDPE)		Size:25.4x15.3x17.1cm,material:HDPE Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, the beehive body can be added. Box ring color optional: blue, green, yellow.	24	18		
H10-3B	BB Plastic queen bee mating super box		Size:12x15x17cm,material:HDPE Standard: 6 frames, plastic hive door ,Box ring color optional: blue, green, red.	100	18		
H10-4	BB Nuc box/Queen mating box (120 g density)		Size:24x15x17cm,material:EPS Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120g	24	24		
H10-5	Queen mating box (120 g density)		Size:27x21.5x17cm,material:EPS Product weight :380g Standard: 4 frames, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120g	24	10		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H10-6	Queen mating box (120 g density)	 A white plastic queen mating box with a yellow circular vent on the front. A small inset image shows a close-up of the top surface.	Size:53x26.5x25.5cm, material:EPS Product weight :1600g round plastic ventilators(6.8cm), foam density 120g	24	1		
H10-7	BB Queen mating box (120 g density)	 A light blue plastic queen mating box with a yellow handle and a green vent. Dimensions are shown: 530mm/20.87in (width), 285mm/11.22in (depth), and 408mm/16.06in (height).	Size:53x28.5x40.8cm, material:EPS, Weight :3Kg Foam density:120g it is suitable for frame size:483*442*232mm	24	1		
H10-8	BB Queen mating box (120 g density)	 A light blue plastic queen mating box with a yellow handle and a green vent. Dimensions are shown: 517mm/20.35in (width), 285mm/11.22in (depth), and 417mm/16.5in (height).	Size: 285*470*517 Density 120G Material: EPS suitble with the Frame: 470*300mm	24	1		
H10-A	BB Plastic queen bee mating super box frame	 A yellow plastic frame for a queen bee mating super box, consisting of a rectangular frame and two long horizontal bars.	material:PP used with H10 & H18	100	0		
H10-F	BB Plastic queen bee mating super box frame (integrated)	 A yellow plastic integrated frame for a queen bee mating super box, featuring a textured top surface.	material:HDPE used with H10-2 & H10-3 &H10-4	100	0		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H10B	Double layer Queen bee mating box		Size:24x15x29.5cm material:EPS	24	16		
H11	UK National beehive		Material: American red cedar, quotation standard: 1 base, 1 bottom box (245 * 460 * 460MM), 1 super box ring (145 * 460 * 460MM), 1 auxiliary cover, 1 metal cover.	300	2		
H12	UK WBC beehive		Material:Red cedar	300	1		
H13	Japan style beehive		Material:China pine	200	2		
H14	Top bar hive		Material: Chinese Fir with knot splicing board Hive size: Length =127mm Width =57mm Height =85.8mm Beam (length 49.5cm wide 3.8cm thick 1.9cm) Nest door (length =19cm, width =3.8cm)	0	1		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H17	Observation Portable Bee Hive		Material: pine + acrylic, Size: 24*5.8*23cm 1PC/brown inner box(27*27*8CM)	200	24		
H18	BB double-deck nuc box/queen mating box		Standard including Lid, Feeder, Super box, Deep box Accessories: 16pcs plastic frame 2pcs syrup excluder 4pcs plastic entrance panel(red and yellow each 2pcs) 2pcs round entrance sheet 2pcs square entrance sheet 1pc bottom board 1pc queen excluder 2pc PVC foam clapboard Material:EPS	120	12		
H18-2	BB nuc box/queen mating box (120g density)		Standard including Lid, Feeder, Deep box Accessories: 8pcs plastic frame 2pcs syrup excluder 2pcs plastic entrance panel(red and yellow each 1pc) 1pcs round entrance sheet 1pcs square entrance sheet 1pc bottom board 1pc PVC foam clapboard Material:EPS	120	12		
H18-3	BB Plus Queen Mating Deep Nuc(only Super box)		Standard including: Super box Accessories: 8pcs plastic frame 2pcs syrup excluder 2pcs plastic entrance panel(red and yellow each 1pc) 1pcs round entrance sheet 1pcs square entrance sheet 1pc bottom board 1pc PVC foam clapboard Material:EPS	120	12		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H19	Bee package		Size:LWH: 366*197*259mm Material: PP	100	10		
H19-2	BB Bee package division feeder		Material: Tinplate size; Diameter x height 10*14cm	10	10		
H20	Plastic beehive (Three layers) (unassembled)		Product size: 595*450*675mm Packing size: 600*510*430mm Material: PE+ foam filling product net weight: 22kg plus packing net weight: 23.5kg	1	1		
H20-2	Plastic Beehive (two layers) (unassembled)		Product size: 595*450*675mm Packing size: 600*510*350mm Material: PE+ foam filling product net weight: 16.5kg plus packing net weight: 18kg	0	1		
H20-3	Plastic Beehive (1 layers)		Product size: 595*450*675mm Packing size: 600*510*350mm Material: PE+ foam filling product net weight: 16.5kg plus packing net weight: 18kg	0	1		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H20-4	Plastic beehive box(unassembled)			0	5		
H21	BB Plastic beehive (1 layers) (unassembled)		Material: HDPE, standard Langstroth10 frames, 1 layers, size: 455*440*576, suitable for length 490 and 483 frames, insulating filling layer, heat insulation	0	1		
H21-2	BB Plastic Beehive (two layers) (unassembled)		Material: HDPE, standard Langstroth10 frames, 2 layers, size: 700*440*576 suitable for length 490 and 483 frames, insulating filling layer, heat insulation	0	1		
H21-3	BB Plastic beehive (Three layers) (unassembled)		Material: HDPE, standard Langstroth10 frames, 3 layers, size: 945*440*576 suitable for length 490 and 483 frames, insulating filling layer, heat insulation	1	1		
H21-4	BB Plastic beehive box(unassembled)		Material: HDPE, standard Langstroth10 frames, box inner size: 490x370x260cm, suitable for length 490 and 483 frames, insulating filling layer, heat insulation	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H22	Langstroth Beehive Kit (1 deep box+1 super box)		<p>Langstroth Beehive 10 Frames Standar : 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom board.10pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 10pcs first-class pine small frames(Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,</p>	0	1		
H22-2	Langstroth Beehive Kit (2 deep box+1 super box)		<p>Langstroth Beehive 10 Frames Standar : 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board.20pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames(Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,</p>	200	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H22-3	Langstroth Beehive Kit (2 deep box+2 super box)		Langstroth Beehive Kit (2 deep box+2 super box) 1 large iron cover, 1 inner cover (marked with oval holes), 2 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. 20pcs wax sprayed black foundations (425x210) / 20pcs wax sprayed yellow foundations (425x141) / 20pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames (Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.	200	1		
H22-4	Langstroth Beehive Kit (1 deep box+4 super box)		Langstroth Beehive Kit (1 deep box+4 super box) 1 inner cover (marked with oval holes), 4super box (505 * 413 * 168), 1deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.	200	1		
H24	10er_Dadant Beehive		New Zealand pine without knot, three layers, deep box 509*429*293*22, super box 509*429*149*22, bottom 509*426*70, cover 509*426*35	0	1		
H25	10er_Zander Beehive		New Zealand pine without knot, three layers, deep box 509*429*293*22, bottom 509*426*70, cover 509*426*35	0	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H26	Kenya Set Beehive		Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	1		
H27-168	Langstroth 2/3		Material: EPS, standard Langstroth10 frames, box inner size: 485x360x195cm, suitable for length 483*159mm frames	0	1		
H27-245	Langstroth 1/1		Material: EPS, standard Langstroth10 frames, box inner size: 485x360x268cm, suitable for length 483*232mm frames	0	1		
H27-295	Langstroth 4/3 (Jumbo, Dandant,)		Material: EPS, box inner size: 485x360x321cm, suitable for length 480*285 frames	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H27D	BB EPS beehive – Dadant 1 layers (EPS base)		1 layers, size: 587*440*513mm, suitable for 480*285 frames, Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 deep box (542*440*295), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		
H27D-2	BB EPS beehive – Dadant 2 layers (EPS base)		2 layers, size: 575.5*440*688mm, suitable for 480*285 frames(deep box), 483*159mm frames(super box) Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 super box (542*440*168), 1 deep box (542*440*295), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		
H27D-2P	BB EPS beehive – Dadant 2 layers (plastic base)		2 layers, size: 575.5*440*688mm, suitable for 480*285 frames(deep box), 483*159mm frames(super box) Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 super box (542*440*168), 1 deep box (542*440*295), 1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		
H27D-P	BB EPS beehive – Dadant 1 layers (plastic base)		1 layers, size: 575.5*440*513mm, suitable for suitable for 480*285 frames Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 deep box (542*440*295), 1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		







Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H27L	BB EPS beehive – Langstroth 1 layers (EPS base)		Standard Langstroth10 frames, 1 layers, size: 587*440*460mm, suitable for suitable for length 483*232*35mm frames, Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 deep box (542*440*245), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		
H27L-2	BB EPS beehive – Langstroth 2 layers (EPS base)		Standard Langstroth10 frames, 2 layers, size: 575.5*440*635mm, suitable for 483*232 frames(deep box),483*159mm frames(super box) Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 super box (542*440*168), 1 deep box (542*440*245), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		
H27L-2P	BB EPS beehive – Langstroth 2 layers (plastic base)		Standard Langstroth10 frames, 2 layers, size: 575.5*440*635mm, suitable for 483*232 frames(deep box),483*159mm frames(super box), Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder, 1 super box (542*440*168), 1 deep box (542*440*245),1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	0	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
H27L-P	BB EPS beehive - Langstroth 1 layers (plastic base)		Standard Langstroth 10 frames, 1 layers, size: 575.5*440*460mm, suitable for 483*232 frames, Configuration: with 1 Multifunction Beehive outer cover, 1 3.5L Top feeder, 1 deep box (542*440*245), 1 Plastic queen excluder, 1 Multifunction Bottom board Material: EPS & plastic, Beehive board thick: 40mm Foam density: 150g Packaging: Bulk	0	1		
HP01	Beehive outer cover with iron sheet		Material: New Zealand pine (Langstroth \ Australia \ 8 frames \ 10 frames can be chosen), Ventilated hole could be customized.	100	5		
HP02	Beehive inner cover		Material: New Zealand pine (8 frames \ 10 frames can be chosen)	100	20		
HP02-3	BB Multifunction Beehive inner cover		Material: ABS. Product size: 35.5 X 1.3 X 50.5cm (8 boxes) 40.5 X 1.3 X 50.5cm (10 boxes) Optional size in free term	0	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP02-4	Wood frame galvanized sheet beehive inner cover		Material: Unscarred pine + galvanized sheet (0.1mm thickness) Weld 4 galvanized runners Wooden frame width 2cm, thickness 2.5cm	100	6		
HP03	Beehive body		Material:New Zealand pine (Splicing wood) 20mm(board thick) unassemble package	100	20		
HP04	Bottom board (Langstroth)		Material:New Zealand pine+ Plywood (8frames\10frames can be chosen)	100	10		
HP05	Bottom board (Australia style)		Material:New Zealand pine (8frames\10frames can be chosen)	100	5		
HP05-2	Bottomboard (Australia style)		Material:New Zealand pine (8frames\10frames can be chosen)	100	2		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP05-3	Bottomboard (Australia style)		Material: New Zealand pine (8 frames \ 10 frames can be chosen) Surface treatment: spray paint	100	5		
HP06	Beehive plastic stand (10 frames)		Material: PP Assembled size: 575*420*34mm	50	5		
HP06-2	Beehive plastic stand (8 frames)		Material: PP	50	5		
HP06-3	Iron holder of hive corner		material: iron with spray paint, 60X50X62CM Size customizable;	100	10		
HP06-4	Anti-ant beehive stand		material: stainless steel 201, customizable;	100	5		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP06-5	Anti-ant beehive stand		material: galvanized iron,customizable;	100	1		
HP07	Bottom board(plastic)		Material:polypropylene resin weight: 2.8kg,Size: 57x40x10cm (suitable for 10frames)	30	5		
HP07-2	Bottom board(plastic)		Material:polypropylene resin weight: 2.8kg,Size: 57x40x10cm	30	5		
HP08	Bottom board stainless tray(8 frames)		Material: 410 stainless steel,size: 40x30x2cm, weight: 380g, G. W. : 42kg	100	110		
HP08-2	Bottom board stainless tray(10 frames)		Material: 410stainless steel,size: 45x35x2cm, weight: 520g	100	80		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP08-3	Bottom board PS tray (47x32.5*1.5cm)	 	Material: PS, weight: 340g, size: 47*32.5*1.5cm	2000	50		
HP08-4	Bottom board PS tray (47*35.3*1.5cm)	 	Material: PS, weight: 397g, size: 47*35.5*1.5cm	2000	50		
HP08-5	Bottom board PS tray (47*41*0.9cm)	 	Material: PS, weight: 420g, size: 47*41*0.9cm	2000	50		
HP08-6	Bottom board PS tray (40.8*35.3*1.5cm)	 	Material: PS, weight: 397g, size: 40.8*35.3*1.5cm	2000	50		
HP08-7	Bottom board PS tray (46.5*35.5*1.5cm)	 	Material: PS, weight: 397g, size: 46.5*35.5*1.5cm	2000	50		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP09	EZY Pallet		Product size: 1230*1135*130mm, Iron tube size: 30*50*1.5mm, foot Iron tube size: 100*100*1.5mm (left and right) /100*50*1.5mm (middle) yellow paint Add solder joints and add 3 steel pipes	100	1		
HP09-2	Hive Pallet		Product size: 1120*820*130mm, Iron tube size: 30*50*1.5mm, foot steel tube size: 100*100*1.5mm (left and right) /100*50*1.5mm (middle)	100	1		
HP09-3	Honey Pallet		Product size: 1020*820*130mm, Iron plate: 1020*820*1.2mm, Iron pipe size: 30*50*1.5mm, foot Iron pipe size: 80*80*1.5mm Yellow paint	100	1		
HP12	Australian style beehive pallet		4 bars, included entrance reducer, disassembled	100	200		
HP13	Cleats		Size:70*38cm	100	80		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP14	Rims		4 bars, with hole (22mm) and ventilated mesh, disassembled	100	200		
HP16	Hive cart with universal wheels (10 frames)		Material 201 stainless steel thickness 1.8 Product size: 510x406mm Caster: 4 inch rubber, size can be customized.	0	1		
HP16-2	Hive cart with universal wheels (10 frames)		Material 201 stainless steel thickness 1.8 Product size: 510x352mm Caster: 4 inch rubber, size can be customized.	100	1		
HP17	BB Beehive outer cover		Material: HDPE, standard Langstroth10 frames,	0	0		
HP18	BB Bottom board		Material: HDPE standard Langstroth10 frames, Pollen tray (8L)	0	5		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HP19	BB Plastic slide beehive entrance		Material: PP Size:365*40mm	0	0		
HP20	BB Pollen tray (8L)		Material: PP Size:463x370x63mm Capacity: 8L	0	0		
HP24	Beehive Lifter (electric)		<ol style="list-style-type: none"> 1. Lithium battery (with charger) 2. Walking motor (with differential) : 500W 3. Grass wheel: 16 inches, 4. load: 75kg, 5. product size: 1670*740mm 6. 24v33A 7. Speed: low speed 5 km/h, medium speed 7 km/h, high speed 9 km/h, reverse 3 km/h 	0	1		
HA01	Beehive entrance		Material:Iron, Size:480*35mm/450*35mm/400*35mm/380*35mm/375*35mm/350*35mm/300*35mm/250*35mm/220*35mm/180*35mm/160*35mm	1000	500		
HA02	Beehive entrance		Material:Iron, Size:480*35mm/450*35mm/400*35mm/380*35mm/375*35mm/350*35mm/300*35mm/250*35mm/220*35mm/180*35mm/160*35mm GW:25.65kg 180mm 700pcs/ctn GW:21.75kg 33*20*11cm 375mm 400pcs/ctn GW:23kg 40*22*8cm 450mm 400pcs/ctn 47*25*10cm	1000	400		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA03	Adjustable entrance		Material:Galvanized iron	500	300		
HA04	Beehive entrance (Iron plating)		Material:Iron plating, Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames.Default 390mm length	100	100		
HA04-3	Beehive entrance (stainless steel)		Surface treatment: Galvanized product size: Length x width 165*27mm 200*27mm 250*27mm 300*27mm 350*27mm 375*27mm Material: Iron, thickness: 0.7mm 200PCS/CTN NW:8.6kg GW:10kg	300	200		
HA04-4	Beehive entrance		Material; Iron length: 30cm	300	200		
HA04-B	Beehive entrance (stainless steel)		Material:stainless steel,Material:Iron plating, Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames.Default 390mm length	300	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA05	Plastic beehive entrance (red)		Material:pp, Size: 432mm*50mm, Weight:84g	500	200		
HA06	Plastic slide beehive entrance		Material:PP,weight: 42g, Size: 31.5x4cm for Austranlian and American langstroth 8 frame hive , 37 x4cm for Austranlian and American langstroth 10 frame hive, 45x4cm for Dadant 10 frame hive 31.5cm 400pcs/ctn GW:16.7kg 72*31*50cm 37cm 350pcs/ctn GW:16.6kg 72*31*50cm 45cm 300pcs/ctn GW:16.5kg 72*31*50cm	500	300		
HA06-2	Plastic slide beehive entrance		size: 37 x4cm (Australian and Longstroth 10-frame beehive) Weight: 74g, material: pp	500	0		
HA06-3	Plastic slide beehive entrance		size: 28*3.5cm, (Australian and Longstronh 8-frame beehive), weight: 41g, material: pp	500	0		
HA06-4	Plastic beehive entrance (Orange)		size: 19.7*3.4cm, weight: 27g, material: pp	500	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA07	Dual function beehive entrance		Material:PP, Size:189*30cm	2000	1000		
HA08	Multi function hive entrance		Weight: 52g Material: Plastic	500	300		
HA09	Beehive entrance (12.5CM)		Diameter:125mm, Thickness:0.45mm, Material:Galvanized iron	500	200		
HA09-2	Stainless steel rotating nest door (6.8CM)		Diameter:68mm Thickness:0.8mm Material:stainless steel 201	500	1000		
HA09-3	Plastic beehive entrance (5CM)		Diameter:50mm	1000	10000		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA09-4	Plastic beehive rotate entrance (6.8CM)		Material:Plastic Color: yellow, blue, green, purple, red, white Size: 6.8mm	500	2500		
HA09-5	Plastic beehive rotate entrance (8CM)		Material:Plastic,Color: yellow, blue, green, purple, red Size:80mm	2000	1200		
HA09-6	Plastic beehive entrance (5CM)		Material:PP,weight: 3g	1000	10000		
HA09-6B	Plastic beehive entrance (Stainless steel 5CM)		Material:201Stainless steel,weight: 9.5g	500	1000		
HA09-7	Plastic beehive entrance (12.5CM)		Material:PP,weight: 15g	300	1000		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA09-8	Plastic beehive entrance (5.5CM)		Diameter:50mm	200	2000		
HA09-9	round plastic ventilators (5.5CM)		Diameter:50mm	200	2000		
HA09B	Beehive entrance (12.5CM)		Diameter:125mm Thickness:0.45mm Material: stainless steel 201	500	200		
HA13	Foam beehive plastic bottom plate		Material:PP	1000	1120		
HA14	Frame fixator (10 FRAME)		Size:370*31mm, Thickness:0.3mm, Material:Galvanized iron, Weight:35g	1000	500		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA14-2	European style frame fixator (8FRAME)		Size:370*33mm, Material:Galvanized iron, Weight:30g	1000	1000		
HA14-3	European style frame fixator (10 FRAME)		375X21 (Galvanized iron)	1000	1000		
HA14-4	European style frame fixator (10 FRAME)		450X21 (Galvanized iron)	1000	1000		
HA14-5	European style frame fixator (10 FRAME OR 8 FRAME)		9 holes length: 369mm (suitable for 10 frames hive) 7 holes length: 312mm (suitable for 8 frames hive)	1000	450		
HA14-6	Frame fixator (9 holes)		Frame fixator (9 holes), product size: 372*30mm, weight: 60g, material: 201 stainless steel.	1000	0		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA14-7	Frame fixator (11 holes)		Frame fixator (11 holes), product size: 445*30mm, Weight:72g, material: 201 stainless steel.	1000	0		
HA15	Beehive edgings		Size:375*12mm/450*12mm, Material:Galvanized iron, Weight:29g	1000	1000		
HA16	Frame fixing sheet		Size:45x2cm, Material: SUS201wire, weight: 32g	1000	1000		
HA16-2	Frame fixing sheet		Size:37.5x2cm Material: SUS201wire	1000	1000		
HA17	Spring Fastener (20pcs/ Bag)		Material:SUS201 20pcs/ Bag With 60 self-tapping screws	100	50		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA17-2	Spring Fastener (20pcs/ Bag)		Material: SUS201, specification: 17.8x6cm, line diameter: 3mm, weight: 14g, With 60 self-tapping screws	100	50		
HA17-3	Spring Fastener (line diameter 4mm, 20pcs/ Bag)		Material: Galvanized iron, specification: 17.8x6cm, line diameter: 4mm, weight: 20g, With 60 self-tapping screws	100	50		
HA19	Anti-glare film		Size: 500*270 500*430 Aluminum coating plus air bubbles. Use: High temperature weather can refract the strong light reflection heat source to achieve the cooling effect on the beehive. When the weather is cold, it is due to the bubble interlayer in the middle of the double-layer aluminum film, which can achieve the effect of heat preservation on the beehive.	2000	150		
HA20	Beehive angle clamp		Size: 7 *3mm, Weight: 26g, material: galvanized iron	900	600		
HA21	Beehive connector improved type		Length: 65mm Material: Galvanized iron Weight: 88g	200	200		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA21-2	Beehive connector (停产)		Length:65mm ,Material:Galvanized iron, Weight:88g	1000	200		
HA22	Beehive handle		Size:110mm*90mm Handle dia:5.6mm Material:Galvanized iron Weight:95g	200	150		
HA22-2	Beehive handle		Size:110mm*90mm Handle dia:7mm Material:Galvanized iron Weight:95g	200	200		
HA22-3	Beehive handle		Size:120mm*90mm Material:Galvanized iron & surface white zinc plating treatment	200	100		
HA22-4	Beehive handle (Galvanized zinc plating iron)		Size:110mm*75mm Material:Galvanized zinc plating iron. Surface:white	200	100		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA23	Entrance robbing guarder (8 holes)		Length:415mm Width:85mm Material:Galvanized iron	130	50		
HA23-2	Entrance robbing guarder (7holes)		Length:382mm Width:85mm Material:Galvanized iron	390	70		
HA24	Metal corner bee escape		Material:Iron	400	450		
HA25	8 ways bee escape (Diameter: 25.8cm)		Material:ABS,Weight:86g ,Diameter: 25.8cm	200	100		
HA25-2	16 ways bee escape (Diameter: 25cm)		Material:ABS,Weight:95g, (Diameter: 25cm)	200	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA26	Bee escape		Material:ABS,Weight:95g,Size:12*1.1cm	500	100		
HA26-2	Bee escape (SUS201)		Material: SUS201,diameter:12cm	1000	200		
HA27	Bee escape (Large)		Material:ABS:size:38x12.2cm	120	140		
HA28	Bee escape		Material:ABS Size: 110*43mm	1000	2500		
HA29	Bee escape		Material:PP	1000	450		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA30	Subuliform Plastic honey gate		Material:PP	1000	1600		
HA31	Plastic conical entrance		Material:PP	2000	3000		
HA32	Beehive Number mark		Material:ABS	1000	720		
HA32-2	Beehive Number mark		Material: PP, Color: red, yellow, blue, green, black, white, gray	1000	600		
HA32-3	Beehive Number mark		Material: PP	1000	500		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA32-4	Hive number mark (100pcs/Bag)		Material: ABS Weight: about 90g size: about 3.5 cm Hole diameter: about 4mm	0	80		
HA33	Plastic beehive fixator(snap fastener)		Material:ABS, 2pcs/set	1000	500		
HA34	Frame support		Material:SUS201 Material:SUS201 Hanging beehive contact surface width 25.5mm, fit for beehive thickness 20-25mm Size: 46*6*2.6cm	480	40		
HA34-2	Frame support (2pcs/set)		Length: 215mm Width: 135mm Weight: 350g Material: stainless steel Material:SUS201 Hanging beehive contact surface width 25.5mm, fit for beehive thickness 20-25mm	500	40		
HA53	Frame support (8/10 frames)		Product size: 17*14*1.8cm, product weight: 32g, packaging: OPP packaging, 6 pcs/OPP bag, material: ABS.	500	300		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA53-2	Frame support		Material: stainless steel, product size: 22.5*9*3cm, product weight: 138g, OPP packaging,	500	100		
HA34-3	Frame support		Material:SUS201 Opening width: 22mm, please note if other sizes are needed	0	40		
HA34-5	Frame support (new)		Thickness: 0.8cm, center outer diameter: 25cm, center inner diameter: 33.5cm, wrapped wire: 9cm, width outer diameter: 39.2cm, width inner diameter: 38cm. Inner void: 4cm. Weight: 383g. Material: 201 stainless steel	0	40		
HA44	stainless steel net		Material: stainless steel 304, diamond shape mesh Aperture: 3*4mm Wire diameter: 0.5mm size can be customized; can be permeable plate, etc.	0	100		
HA45	Galvanized hive cover (Thickness: 0.5mm)		Product internal longitude: 32x32x5cm 52.5x42.5x6cm 57x57x6cm Material: galvanized iron, size can be customized	200	5		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA46	ant proof stand (201 stainless steel)		Product size: L82*W82*H67mm, product weight: 100g, material: 201 stainless steel	200	150		
HA47	Beekeeping tool Hive Carrier		Material: galvanized iron, Weight: 2.4kg Constructed of heavy duty steel tubing Helps you move hives and supers with ease Easy to assemble and disassemble for storage Designed for easy operation	200	5		
HA48	Galvanized iron nail		Box nails- 2-1/4 inch long, loose filled, electro galvanized (50 LB/CTN)	200	23		
HA48-2	Galvanized iron nail		Frame nails- 1-1/4 inch long, loose filled, electro galvanized(50 LB/CTN)	200	23		
HA49-1	Hive transfer connector- Shape "W"		Material: galvanized iron	0	400		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HA49-2	Hive transfer connector- Shape "U"		Material: galvanized iron	0	360		
F01	Unassembled Langstroth frame		New Zealand pine without knot, 4 holes are punched in side bar. Size: 483*232/159/136*36mm, other size could be customized	1000	100		
F02	Assembled Langstroth frame		New Zealand pine without knot, Side bar without holes. Size: 483*232/159/136*36mm, other size could be customized	1000	20		
F02-2	Assembled wood frame with plastic foundation sheet		New Zealand pine without knot, Side bar without holes.fixed with black plastic foundation. Size: 483*232/159/136*36mm, other size could be customized	0	20		
F03	Wired Langstroth frame		New Zealand pine without knot, SUS 201, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized	1000	20		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F04	Assembled frame with wax sheet, made of European pine without knots		New Zealand pine without knot, SUS 201, 30% beeswax foundation sheet, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized	1000	20		
F05	Plastic frame with comb foundation		Material:PP, Size:393*225*25mm	500	20		
F05-2	Plastic frame with comb foundation		Material:PP, Size:393*160*25mm	500	35		
F06	BB Plastic frame with comb foundation		Material:PS, Size:483*232mm Appearance patent No:201830101118.2	200	20		
F06-2	BB Plastic frame with comb foundation		Material:PS, Size:483*175mm Appearance patent No:201830101118.2	200	20		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F06-3	BB Plastic frame with comb foundation		Material:PS, Size:483*159mm Appearance patent No:201830101118.2	200	20		
F07	Plastic frame with comb foundation		Material:ABS, Size:483*232mm	200	50		
F07-2	Plastic frame with comb foundation		Material:ABS, Size:483*175mm	200	50		
F07-3	Plastic frame with comb foundation		Material:ABS, Size:483*159mm	200	50		
F07-4	Plastic frame with comb foundation		Material:ABS, Size:483*125mm	200	50		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F08	Frame for flow hive		Material:ABS 7 pcs/set	21	7		
F09	Detachable plastic frame		Material:PP, Size:485*235*28mm	200	20		
F10	250g Comb honey frame		Material:ABS Size:483*240*448mm	200	40		
F10B	Comb honey box 250g		Material:PS, Volume:250g Internal Dimensions:9.5*6.5*3.5cm Exterior Dimensions:10.4*7.2*4.2cm	600	150		
F11	500g Comb honey frame		Material:ps Material:ABS Size:483*228*448mm	200	40		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F11B	Comb honey box 500g		Material:PS, Volume:500g Internal Dimensions:13.2*9*3cm Exterior Demensions:14.1*9.9*4.4cm	500	100		
F12	Heart-shaped Comb honey frame		Material:pp	300	36		
F12B	Fully transparent Heart-shaped Comb honey frame		Material:ps	1000	144		
F13	Plastic frame spacer		Material:PP	1000	1000		
F14	Frame ranging tool (9frames)		Material:ABS, Suitable for use in Langstroth 10 frames beehive, ranging 9 frames	100	260		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F14-2	Frame ranging tool (7frames)		Material:ABS, Suitable for use in Langstroth 8 frames beehive, ranging 7 frames	100	220		
F14-3	Frame ranging tool (8 frames)		Material:ABS, Suitable for use in Langstroth 10 frame beehive, ranging 8 frames	100	260		
F14-4	9 frames metal spacing tool		Material:SUS201, size:14.7x6cm	200	100		
F15	Frame spacer		Material:PP, Weight:5.5g	1000	4000		
F16	Plastic frame (small)		Weight: 18g, material: PP, frame size: 8.5*6.5cm.	500	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F16-2	Plastic frame	 A small rectangular plastic frame and a long, thin plastic strip, both in a light tan color.	Weight: 27g, material: PP, frame size: 13*10.5cm.	500	0		
F18	Queen bee rearing frame (With cage)	 A wooden frame with 24 vertical slots, each containing a small white cage.	Material: New Zealand pine without knot/Size:customized Default 483*232mm size, pine material Without foundation, included 24 queen, cagesnot include cell cup.	500	19		
F19	Plastic frame for mating nuc box	 A yellow plastic frame with a handle on top.	Size: 25*3.5*16.1cm ,Material: ABS,Weight: 79g	500	100		
F20	Plastic frame for mating nuc box	 A white plastic frame with a handle on top and a central vertical rod with three horizontal bars.	Size: 25*2.5*16cm,Material: ABS,Weight: 80g	300	100		
F21	honey comb (Large)	 Two stainless steel frames with wooden handles, used for holding honey combs.	Size:10.5*10.5*4.7cm,Material:stainless steel,Weight:208g	300	60		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F22	honey comb (Small)		Size:9.2*9.2*4.7cm,Material:stainless steel,Weight:182g	300	88		
F23	BB Plastic combination frame		Material: ABS, Size: 483 * 232mm, 483 * 159mm	0	100		
F24	Plastic combination frame		Material: ABS, Size:483x232x33mm Appearance patent No.:201922470182. X	0	20		
F25	BB Honeycomb Frame (two layers 250g) Without honey comb Cassettes		Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1	500	40		
F25-2	BB Honeycomb Frame (three layers 250g) Without honey comb Cassettes		Size: 483X227X42mm Material: ABS Weight: 260g Remark: Each one fits with 12 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:202030368092. 5 Appearance patent No.:202030783832. 1	500	20		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F25-2B	BB Honeycomb Frame (three layers 250g) including 24 pcs honey comb Cassettes		Size: 483X227X42mm Material: ABS Weight: 260g Remark: Each one fits with 12 nesting honey boxes, including 24 pcs honey comb Cassettes. Utility model patent No. :202030368092. 5 Appearance patent No. :202030783832. 1	500	2		
F25-3	BB Honey comb Cassettes 250g		Size: 106.5*68*36 mm Material: PS Utility model patent No:202030368092. 5 Appearance patent No:202030783832. 1	500	200		
F25B	BB Honeycomb Frame (two layers 250g) including honey comb Cassettes		Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, including 16pcs honey comb Cassettes and cover. Utility model patent No. :02030368092. 5 Appearance patent No. :202030783832. 1	500	2		
F26	Comb honey frame fixer		size :8.5x2cm Material :201 stainless steel weight :13g thickness: 1.0mm	1000	500		
F27	pollen collector		Size: 105*95*15 mm Material: PP weight :58g	1000	400		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F28	Pollen frame		Material: Painted Iron Size: 20x16cm weight :2.8kg	0	1		
F28-2	Pollen frame		Size: 105*95*15 mm Material: ABS	0	100		
F30-8	No-wire embedder frame (Dadant 483*160)		Material: Plastic. Product size: 483*434*160*35mm	0	1		
F31-6	Integrated frame (Langstroth 470*300)		Product size: 470*436*300*35.5mm	0	1		
F31-10	Integrated frame (Dadant 483*175)		Product size: 483*436*175*35.5mm	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F30-9	No-wire embedder frame (Dadant 483*175)		Material: Plastic. Product size: 483*434*175*35mm	0	1		
F30-3	No-wire embedder frame (Langstroth 470*175)		Material: Plastic. Product size: 470*434*175*35mm	0	1		
F31-11	Integrated frame (Dadant 483*230)		Product size: 483*436*230*35.5mm	0	1		
F30-6	No-wire embedder frame (Dadant 483*125)		Material: Plastic. Product size: 483*434*125*35mm	0	1		
F30-5	No-wire embedder frame (Langstroth 470*300)		Material: Plastic. Product size: 483*434*300*35mm	0	1		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F30-7	No-wire embedder frame (Dadant 483*145)		Material: Plastic. Product size: 483*434*145*35mm	0	1		
F30	No-wire embedder frame (Langstroth 470*125)		Material: Plastic. Product size: 470*434*125*35mm	0	1		
F30-1	No-wire embedder frame (Langstroth 470*145)		Material: Plastic. Product size: 470*434*145*35mm	0	1		
F30-4	No-wire embedder frame (Langstroth 470*230)		Material: Plastic. Product size: 470*434*230*35mm	0	1		
F31-5	Integrated frame (Langstroth 470*230)		Product size: 470*436*230*35.5mm	0	1		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F30-2	No-wire embedder frame (Langstroth 470*160)		Material: Plastic. Product size: 470*434*160*35mm	0	1		
F29	Honey frame storage box		Suitable for Langstroth frame, product size: 52.5*38.6*34cm, Honey frame storage box : 1 box + 1 lid + 2 frame supporting strips	0	1		
F30-10	No-wire embedder frame (Dadant 483*230)		Material: Plastic. Product size: 483*434*230*35mm	0	1		
F31-9	Integrated frame (Dadant 483*160)		Product size: 483*436*160*35.5mm	0	1		
F31-4	Integrated frame (Langstroth 470*175)		Product size: 470*436*175*35.5mm	0	1		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F31-3	Integrated frame (Langstroth 470*160)		Product size: 470*436*160*35.5mm	0	1		
F30-11	No-wire embedder frame (Dadant 483*300)		Material: Plastic. Product size: 483*434*300*35mm	0	1		
F31-2	Integrated frame (Langstroth 470*145)		Product size: 470*436*145*35.5mm	0	1		
F31-12	Integrated frame (Dadant 483*300)		Product size: 483*436*300*35.5mm	0	1		
F31-7	Integrated frame (Dadant 483*125)		Product size: 483*436*125*35.5mm	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
F31-8	Integrated frame (Dadant 483*145)		Product size: 483*436*145*35.5mm	0	1		
F31	Integrated frame (Langstroth 470*125)		Product size: 470*436*125*35.5mm	0	1		
WT01	Economy wire embedder		Length:145mm, Weight:31g, Material:Wooden&Galvanized iron	500	1000		
WT01-10	Wire embedder		Material:Wooden&SUS201	200	150		
WT01-11	Wire embedder (US)		Material:PP &Gvanized Iron	200	150		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT01-12	Wire embedder (Electric)		Voltage:12V Power:40W	0	60		
WT01-13	Wire embedder		size: 66*25*75cm NPUT:AC2205060Hz DC12-24 OUTPUT:DC24V	10	1		
WT01-2	Wire embedder		Length:230mm, Weight:62g, Material:Wooden, Galvanized iron & Red copper	200	250		
WT01-3	Wire embedder		Length:237mm Weight:48g, Material:Plastic&Galvanized iron & Red copper	200	500		
WT01-4	wire embedder (Spur)		Material:Wooden&Copper	200	300		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT01-4B	Wire embedder(Manual Copper Head Roller)		The length of the product is 22.6cm, the length of the wooden handle is 10.5cm, the length of the pole is 10.8cm, and the length of the copper head is 4.8cm. Product weight: 85g, material: wooden handle, copper head.	200	300		
WT01-5	wire embedder(Electric)		Rated power: 30W, Material: Copper, plugs (Customized)	100	100		
WT01-6	BB wire embedder(Electric)		Rated power: 30W, Material: Copper, plugs (Customized)	100	100		
WT01-7	Wire embedder		Length: 230mm, Weight: 62g, Material: Wooden, Galvanized iron	500	500		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT01-8	Wire embedder (Electric)		Model:WE-7 INPUT:AC2205060Hz DC12-24 OUTPUT:DC24V Step 1 Turn on the power, put the frame(the wire has ir the frame) on the product. Notice:The contact point of the machine and frame should be the end of the wire and the other end of the wire. The dot means contact point Step2 Put the comb foundation on the wire Step3 Put the up-pressing board on the comb foundation,press it and step on the pedal.the light will flash.Step4 When the light stop flashes,wait for another one second,the operations complete.	10	1		
WT01-9	Wire embedder (Electric)		Input DC 110-220V output 9V power 40W plugs (Customized)	25	20		
WT01-9B	Adjustable voltage frame wire embedder		Size: 13*6*3.5, adjustable voltage:0-36V , temperature control range:1-180°C	25	100		
WT02	Wire crimper		Material: Plastic & Zinc plated	200	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT02-2	Wire crimper (Stainless steel gears)		Material: Plastic and stainless steel gears	200	300		
WT02-3B	BB Wire crimper (Stainless)		Material:SUS304&Iron wheel Size:13.5*5.7*2.3cm(thick)	120	80		
WT02-4	Wire crimper (Stainless)		Material:SUS304&Iron wheel	1000	100		
WT02-6	Wire crimper (Stainless)		Material: USU201+ iron galvanized (gear), product weight: 163g, product size: L148*W60*H28mm	1000	100		
WT03	Wire cutter		Material:Iron	1000	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT03-2	Wire spool holder		Material:iron	500	50		
WT03-3	Wire spool holder		Material:galvanized sheet	500	40		
WT04	Wire pliers		Material:High-carbon steel	100	200		
WT05	Awl		Material:SUS201	1000	480		
WT05-2	Awl		Material:SUS201	300	400		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT05-3	Awl		Material:SUS304	1000	500		
WT06	Bee Frame Eyelet Puncher		Material:Wooden&SUS201	34	34		
WT06-2	Hole punch		Material:IRON	50	20		
WT06-3	Eu Hole Puch		Weight:4.9kg dimension: 75*350*480mm Packing dimension: 75*350*270mm (Folding arm package)	0	0		
WT07	Frame threading rack		Material:IRON	30	14		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT07-2	Frame threading rack		Material:IRON	30	14		
WT08	Beeswax septum knife		Disc diameter : 66mm,thickness : 19mm,length : 120mm,weight : 74g	300	260		
WT10-1	Galvanized wire (250G)		Material:Galvanized iron Wire diameter:Customized	200	40		
WT10-2	Galvanized wire (500G)		Material:Galvanized iron Wire diameter:Customized	200	40		
WT10-3	Galvanized wire (1000G)		Material:Galvanized iron Wire diameter:Customized	200	20		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT11-1	201Stainless wire 0.25kg/roll		Material:SUS201,Wire diameter:Customized	200	40		
WT11-2	201Stainless wire 0.5kg/roll		Material:SUS201,Wire diameter:Customized	200	40		
WT11-3	201Stainless wire 1kg/roll		Material:SUS201,Wire diameter:Customized	200	20		
WT12-1	304Stainless wire 0.25kg/roll		Material:SUS304,Wire diameter:Customized	200	40		
WT12-2	304Stainless steel wire 0.5kg/roll		Material:SUS304,Wire diameter:Customized	200	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WT12-3	304Stainless steel wire 1kg/roll		Material:SUS304,Wire diameter:Customized	200	20		
WT13	Pure copper eyelets (1KG/BAG)		Material:pure copper Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	25	25		
WT14	Iron eyelets (1KG/BAG)		Material:Iron Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	25	25		
WT15	304 stainless steel eyelets (1KG/BAG)		Material: 304 stainless steel Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	25	25		
WT16	Foundation clip nail (1000pcs/bag)		Material:Iron width:0.55cm, length:2.55cm, opening:0.25cm; 1000pcs/bag, 0.9kg/bag	0	10		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
EC01-1	US style queen excluder (no edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, 4 Edges without rimmed, size: can be customized	300	30		
EC01-2	US style queen excluder (2 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC01-3	US style queen excluder (4 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC01-4	US style queen excluder (4 edges wooden)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	25		
EC01-5	US style queen excluder (4 wide edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
EC01-6	US style queen excluder (threaded, with 2 wide rims and 2 narrow rims)		Material: galvanized iron, wire diameter: 2.0mm, clearance: 4.15mm, Long rim: 35mm Short rim: 25mm size: can be customized	300	20		
EC02	SS304 US style queen excluder (no edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02-2	SS304 US style queen excluder (2 edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02-3	SS304 US style queen excluder (4 edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02-4	SS304 US style queen excluder (4 edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
EC02-5	SUS304 US style queen excluder (4 edges rimmed)		Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02B	SUS201 US style queen excluder (no edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02B-2	SUS201 US style queen excluder (2 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02B-3	SUS201 US style queen excluder (4 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC02B-4	SS201 US style queen excluder (4 edges rimmed)		Material: SS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
EC02B-5	SS201 US style queen excluder (4 edges rimmed)		Material: SS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC03	Aluminium queen excluder		Material: aluminum, clearance: 4.2MM, size: can be customized	300	50		
EC04	Australian style excluder (4 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	20		
EC05	Plastic queen excluder		Material: PP, clearance: 4.2MM, size: 510*410mm/510*360mm/506*406mm/506*353mm/500*500mm/460*460mm/510*420mm/500*425mm/510*425mm/485*400mm/435*435mm/470*410mm/500*450mm/505*360mm/506*360mm/500*430mm/501*351mm/478*378mm	500	100		
EC06	Plastic queen excluder (Arc)		Material: PP, clearance: 4.2MM, Size: 510*410mm/460*460mm/435*435mm/506*406mm/506*353mm/500*500mm/470*410/500*430mm/540*440mm	500	50		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
EC07	Bamboo planar queen excluder		Material: bamboo	200	25		
EC07-3	Korean bamboo queen excluder		Material: bamboo	300	50		
EC08	Plastic queen vertical excluder		Material:ABS Size: 490*260mm	100	40		
EC08-2	Plastic planar queen excluder		Material:ABS size:510*410mm	100	30		
EC09-1	Propolis collector		Material:PP Product size: 500*400mm	50	50		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
EC09-2	Propolis collector (New Zealand style)		Material:PP size: 500*400mm	100	250		
EC09-3	Propolis collector		Material:PVC Aperture 1.5*1.5mm, Single weight: 45g size: Can be customized to any size	100	1000		
EC09-4	Propolis collector		Size: 51*42*0.2cm, weight: 244g. It is made of plastic and can be rolled.	50	50		
EC10	European style excluder(no edges rimmed)		Material:Galvanized iron , wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	30		
EC12	Painting metal queen excluder		Material: galvanized iron wire, wire diameter: 1.9mm, gap: 4.2mm, size: customizable, surface painted	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
CF01	Beewax foundation		Pure beeswax content: 30%~100%, room diameter:4.75~5.4mm(customized)	500	30		
CF02	Plastic comb foundation (Rotational molding)		Weight:150g, Material:PP, Size:425*210mm/425*155mm/425*125mm, Technology:Rotational moulding, any colour	500	200		
CF03	Plastic comb foundation (Injection molding)		Weight:140g, Material:PS, Size:Size:425*280mm/425*212mm/425*212mm/425*161mm/425*157mm/425*141mm/425*125mm/425*121mm/425*115mm, Technology:Injection molding, any colour	500	200		
CF06	Plastic comb foundation (Injection molding)		Weight:96g, Material:ABS, Size:425*212mm/425*141mm, Color: yellow	0	100		
CF07	BB Plastic foundation wax roller machine		Product size: 470*590*420mm Material: Stainless steel Rated voltage: AC110V AC220V Roller diameter:75mm Power:25W+300W 50/60HZ 300 rounds/minute Capacity: 9L	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD01	Frame feeder (Langstroth1/1 6L)		Material:PP, Size:483*80*230mm, Volume:6L, Weight :850g, langstroth cover and ladder are connected.	500	30		
FD01W	Frame feeder (Langstroth1/1 6L, wood cover)		Material:PP, Size:483*80*230mm, Volume:6L, Weight :850g, langstroth	500	25		
FD02	Frame feeder (Langstroth1/1 6L)		Material:PP, Size:483*80*230mm, Volume:6L, Weight :850g, langstroth cover and ladder can be unassembled.	500	30		
FD02-2	Division feeder (4L)		Material:PP, Size:483*55*220mm, Volume:4L, Weight :620g, langstroth two options of color, black or yellow.	300	30		
FD02-3	Division feeder (0.5L)		Material:PP, Size:233*120*25mm , Volume:0.5L, Weight:114g	300	140		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD03	Division feeder (0.75L)	A long, thin, light green plastic division feeder with a small circular opening at one end.	Material:PP,Volume:0.75kg Product size: total length 490mm width 40mm height 35mm	500	750		
FD03-2	Division feeder (1.5L)	A long, thin, light green plastic division feeder with a small circular opening at one end, similar to FD03 but slightly wider.	Material:PP,Volume:1.5L Product size: total length 490mm width 63mm height 55mm	600	200		
FD03-3	Division feeder (3L)	A long, thin, light green plastic division feeder with a small circular opening at one end, wider than FD03-2.	Material:PP,Volume:3L Product size: total length 490mm width 77mm height 108mm	600	100		
FD03-4	Division feeder (1L)	A long, thin, light green plastic division feeder with a small circular opening at one end, similar to FD03-2.	Material:PP,Volume:1L Product size: total length 490mm width 50mm height 70mm	1000	170		
FD03-5	Division feeder (0.6L)	A long, thin, light green plastic division feeder with a small circular opening at one end, similar to FD03.	Material:PP,Volume:0.6L Product size: total length 490mm width 35mm height 30mm	600	600		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD03-6	Division feeder (1.6L)		Material:PP, Volume:1.6L Product size: total length 490mm width 56mm height 54mm	600	250		
FD04	Entrance feeder (0.5L)		Material:PP	500	200		
FD05	Bottle feeder		Material:PP size: 16cm	1000	800		
FD06	Division feeder (4L)		Material:Wooden, Size:483*35*240mm, Volume:6kg	500	12		
FD07	Top feeder (ABS cover 6L)		Material:ABS, Volume:6L Size:39*33*7.5cm	200	10		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD07B	Top feeder (PS cover 6L)	A white plastic top feeder with a clear PS cover, shown in its packaging box.	Material:PS+ABS, Volume:6L Size: 390x330x75mm	200	10		
FD08	PP Top feeder (1.3L)	A white plastic top feeder with a lid, shown in its packaging box.	Material:PP , Size:260X55mm, Weight:274g, Water capacity: 1.3L	200	50		
FD08-3	Top feeder (1.3L)	A yellow plastic top feeder, shown in its packaging box.	Material:PP+PS, Size:210X55mm Weight:163g, Water capacity: 1.3L 1pc/inner box	200	40		
FD08-4	Top feeder (1.7L)	A white plastic top feeder with a lid, shown in its packaging box.	Material:PP+PS , Size:217X85mm, Weight:281g, Water capacity: 1.7L	50	54		
FD09	Pollen feeder	A white plastic pollen feeder with a grid pattern, shown in its packaging box.	Material:PP Size:490X445*23mm, Weight:500g	200	40		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD10	Bottle feeder		Handle length:10cm, Weight:0.02kg	500	700		
FD11	Entrance feeder (1.5L)		Material:PP+ABS, Volume:1.5L	100	50		
FD12	Boardman feeder		Material: PP&Aluminum 1pc/pp bag	200	240		
FD13	BB Top feeder (Australia style 3.5L)		Material: ABS+PS, Weight: 1004g, size: 505*405mm,	2000	20		
FD13-2	BB Top feeder (US style 4.5L)		Material: ABS+PS, Weight: 1150g, size: 505*405mm	2000	10		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD13B	BB Top feeder (Australia style 2.5L)		Material: ABS, size:506*353mm Water capacity: 2.5L Weight: 1000g	2000	20		
FD14	Top feeder		Weight: 340g	2000	20		
FD15	Entrance feeder (1L)		Material:PP, Volume:750ML	300	100		
FD16	Bottle mouth type water feeder		Material: PP, Bottle mouth diameter:2.7cm, size: 5x4x3.3cm, Weight: 3g	500	2000		
FD17	Entrance feeder (500ML)		Material:PP, Volume:500ML	300	140		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD18	Top feeder(1.6L)		Material:HIPS+PS, size:18.5*18.5*5.5cm, weight: 260g	500	60		
FD19	Division feeder (0.5L)		Material: PP,Water capacity: 450ml size:25x3.3x15cm	300	200		
FD21	Boardman feeder		Material: PP Weight: 28g suitable for 75 caliber glass bottles, no glass bottles	300	200		
FD22	Boardman feeder(Pine + Galvanized Iron)		Material: Pine + Galvanized Iron Product weight: 350 g Product size: L170*W113*H35mm	200	60		
FD23	Wood Feeder		any dimension/size can be customized.	0	0		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FD24	Bee feeder		Product size: 48*3*24.5cm, material: PP. Weight: 522g.	500	30		
FD25	Bee feeder (white)		Product size: 47*3*30cm, material: PP, Weight: 612g.	500	30		
FD26	Bee feeder (white)		Weight: 397g Size: 383*210*35mm Material: PP.	500	0		
FD28	Beehive water tray		Material: PP, product size: 220x180x3mm (large size, weight: 54g), 180x150x3mm (small size, 37g), color can be customized.	500	100		
FD27	Observation Portable Bee Hive (wooden)		Size: 33.5*5*26cm Weight: 743g Material: pine You can observe the living habits of bees and use for demonstrations.	200	24		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PT01	Pollen trap		Material:ABS+PP,Weight:430g Product size: 390*9.3*135mm	120	20		
PT02	Pollen trap		Material:ABS,Weight: 507g Product size:310*145*193mm Packing:1pc/brown box	100	20		
PT04	Pollen trap		Material:PP 40cm* 2.8cm	500	840		
PT07	Pollen trap		Material:ABS size: 30x14.5cm	100	100		
PT08	Pollen trap		Material:PP+ABS size: 30x14.5x13cm Weight: 480g	100	20		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PT09	Pollen trap		size: 32x12x11.5cm Material: ABS+PP_Painted Iron Weight: 620g	100	20		
PT10	Pollen trap		Product length: 380mm, width 145mm, height 115mm, ear center distance 300mm. Material: ABS+PP, weight: 485g	120	20		
HE01	Extractor (2 frames plastic manual)		Material: PP, Measure of frame rack: 420mm*260mm Size: 70*Dia: 40CM/27.5*15.75Inch 1PC/brown box	10	1		
HE02-2	Extractor (2 frames transparent manual honey)		Material: Acrylic, Measure of frame rack: 45*26cm	10	1		
HE02-3	Extractor (3 frames transparent manual honey)		Material: Acrylic, Measure of frame rack: 45*26cm	10	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HE03-2	Extractor (Economy 2 frames manual)		Material: SUS201 Measure of frame rack:45*26cm	10	1		
HE04-2	Extractor (Economy 2 frames manual)		Material: SUS201 Measure of frame rack:45*26cm	10	1		
HE05-2	Extractor (2 frames manual reversible)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack:45*26cm	10	1		
HE05-3	Extractor (3 frames manual reversible)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack:420mm*260mm	10	1		
HE05-4	Extractor (4 frames manual reversible)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack:45*26cm size:65*65*90cm	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HE06-12E	Extractor (12 frames electric)		Power supply:220V(110V customized on-demand), Motor:370watts, Material: SUS201, Weight:55.5kg, Speed control, Frequency Converters, three-phase, Measure of frame rack:45*26cm	10	1		
HE06-2	Extractor (2 frames manual)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack:45*26cm	10	1		
HE06-20E	Extractor (20 frames electric)		Power supply:220V(110V customized on-demand), Motor:550watts, Material: SUS201, Weight:68.5kg, Speed control, Frequency Converters, three-phase, Measure of frame rack:45*26cm	10	1		
HE06-24E	Extractor (24 frames electric)		Power supply:220V(110V customized on-demand), Motor:550watts, Material: SUS201, Weight:80kg, Speed control, Frequency Converters, three-phase, Measure of frame rack:45*26cm	10	1		
HE06-2E	Extractor (2 frames electric)		Power supply:220V(110V customized on-demand), Motor:140watts, Material: SUS201, Weight:18kg, Measure of frame rack:45*26cm	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HE06-3	Extractor (3 frames manual)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack: 45*26cm	10	1		
HE06-3E	Extractor (3 frames electric)		Power supply: 220V, Motor: 140watts, Material: SUS201, Weight: 19kg, Speed control, single-phase, Measure of frame rack: 45*26cm	10	1		
HE06-4	Extractor (4 frames manual)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack: 45*26cm	10	1		
HE06-4E	Extractor (4 frames electric)		Material: SUS201, Barrel, Size of inner frame: 45*26cm, Accessories: honey gates and legs, Voltage: 110V/220V	10	1		
HE06-6	Extractor (6 frames manual)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack: 45*26cm, Dimension (L*W*H): 72cm*72cm*85cm	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HE06-6E	Extractor (6 frames electric)		Power supply:220V(110V customized on-demand), Motor:250watts, Material: SUS201, Weight:34kg, Speed control, Measure of frame rack:45*26cm	10	1		
HE06-6EM	Extractor (Three use 6 frames electric)		Power supply:220V/12V, Motor:250watts, Material: SUS201, Weight:34kg, Speed control, Measure of frame rack:45*26cm	10	1		
HE06-8	Extractor (8 frames manual)		Material:SUS201, with legs and plastic honey gate, Measure of frame rack:45*26cm	10	1		
HE06-8E	Extractor (8 frames electric)		Power supply:220V(110V customized on-demand), Motor:250watts, Material: SUS201, Weight:39.5kg, Speed control, single-phase, Measure of frame rack:45*26cm	10	1		
HE07-4	Extractor (4 frames electric CE)		Power supply:220V(110V customized on-demand), Motor:140watts, Material: SUS201, Weight:29kg, Speed control, single-phase, Measure of frame rack:45*26cm	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HE12-2	Extractor (2 frames manual brake)		Barrel height: 62CM, diameter:38CM, total height: 110cm, inner frame material : sus304, barrel body material : sus201 rack:45*26cm	10	1		
HE12-3	Extractor (3 frames manual brake)		Barrel height: 62CM, diameter:38CM, total height: 110cm, inner frame material : sus304, barrel body material : sus201 rack:45*26cm	10	1		
HE13-3	Honey Extractor (3 frames manual brake) High-end customized version		Product size; 380*620mm, 304 stainless steel (tank body, gear box, beam, inner frame, screws) Support legs: 201 stainless steel + iron powder coating. Standard pairing with 304 stainless steel honey gate, The distance between the valve and the ground is 290mm. Acrylic cover, gear box with brake.	10	1		
HE13-4	Honey Extractor (4 frames manual brake) High-end customized version		Product size; 470*620mm, 304 stainless steel (tank body, gear box, beam, inner frame, screws) Support legs: 201 stainless steel + iron powder coating. Standard pairing with 304 stainless steel honey gate, The distance between the valve and the ground is 290mm. Acrylic cover, gear box with brake.	10	1		
HE12-4	Extractor (4 frames manual brake)		Barrel height: 62CM, diameter:47CM, total height: 110cm, inner frame material : sus304, barrel body material : sus201 rack:45*26cm	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HE13-2	Honey Extractor (2 frames manual brake) High-end customized version		Product size; 380*620mm, 304 stainless steel (tank body, gear box, beam, inner frame, screws) Support legs: 201 stainless steel + iron powder coating. Standard pairing with 304 stainless steel honey gate, The distance between the valve and the ground is 290mm. Acrylic cover, gear box with brake.	10	1		
HEPJ01	2/3 frame manual gear assembly		The gear assembly specifications of the 2 frames and 3 frames are the same, 4 frames have other specifications but with the same price.	0	0		
HEPJ01-2	4 frame manual gear assembly		The gear assembly specifications of the 2 frames and 3 frames are the same.	0	0		
HEPJ02	2/3 frame manual gear assembly + beam		The gear assembly specifications of the 2 frames and 3 frames are the same.	0	0		
HEPJ02-2	4 frame manual gear assembly + beam		The gear assembly specifications of the 2 frames and 3 frames are the same.	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HEPJ03	6/8 frame manual gear assembly			0	0		
HEPJ04	6/8 frame manual gear assembly + beam			0	0		
HEPJ16	Handle			0	0		
S01	BB Smoker (Euro M)		Material:SUS201, Size:26CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	20		
S01-L	BB Smoker (Euro L)		Material:SUS201, Size:30CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S02	BB Smoker (US M)		Material:SUS201, Size:29CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	20		
S02-L	BB Smoker (US L)		Material:SUS201, Size:32CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	20		
S03	BB Smoker (thick)		Material:SUS201, Size:29CM*Φ10CM, Collector box:PVC barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.8mm cover connector: 0.8mm	100	20		
S04	Smoker (Australian style M)		Material:SUS201, Size:29CM*Φ10CM, Collector box:PVC	100	20		
S04-L	Smoker (Australian style L)		Material:SUS201, Size:32CM*Φ10CM, Collector box:PVC	100	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S05	Smoker (Economic M)		Material:SUS201, Size:24CM*Φ10CM, Collector box:Cowhide, Can be packed with inner box	150	15		
S05-BS	Smoker (Economic XS)		Material:SUS201, Size:20CM*Φ7.5CM, Collector box:super fiber, Can be equipped with inner tank	150	20		
S05-L	Smoker (Economic L)		Material:SUS201, Size:29CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank	100	10		
S05-S	Smoker (Economic S)		Material:SUS201, Size:21CM*Φ8.5CM, Collector box:Cowhide, Can be equipped with inner tank	150	15		
S06	Smoker (Economic M)		Material:SUS201, Size:28CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank	150	15		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S06-L	Smoker (Economic L)	A stainless steel smoker with a conical lid and a handle, shown next to its cowhide collector box.	Material:SUS201, Size:32CM*Φ10CM, Collector box:Cowhide	100	10		
S06-S	Smoker (Economic S)	A stainless steel smoker with a conical lid and a handle, shown next to its cowhide collector box.	Material:SUS201, Size:26CM*Φ8.5CM, Collector box:Cowhide	150	15		
S07	Smoker (Galvanized M)	A galvanized iron smoker with a conical lid and a handle, shown next to its cowhide collector box.	Material:Galvanized iron, Size:28CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank	150	15		
S07-L	Smoker (Galvanized L)	A galvanized iron smoker with a conical lid and a handle, shown next to its cowhide collector box.	Material:Galvanized iron, Size:31CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank	100	10		
S07-S	Smoker (Galvanized s)	A galvanized iron smoker with a conical lid and a handle, shown next to its cowhide collector box.	Material:Galvanized iron, Size:26CM*Φ8.5CM, Collector box:Cowhide, Can be equipped with inner tank	150	15		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S08	Kid Smoker		Material:SUS201, Size:18CM*Φ6.5CM, Collector box:PU	100	40		
S09	Smoker (Electric US)		Material:SUS201, Size:28CM*Φ10CM	150	15		
S09-2	Smoker (Electric Euro)		Material:SUS201, Size:26CM*Φ10CM	150	15		
S09-3	Smoker (Electric Euro)		No battery, available in black or blue	150	100		
S10	Smoker (copper)		Material:copper, Size:26CM*8.5CM	150	20		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S11	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;	100	4		
S11-2	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;	0	4		
S12	BB Benefitbee electric smoker		Material:PC+SUS201, Size:13.7*29*27cm	100	20		
S12-2	BB Electric smoker handle		Material:ABS+3pcs 5A batteries	100	20		
S13	Smoker (American style M)		Material:Flame retardant PVC leather +SUS201, Size:28*29*13cm Φ10.5cm	100	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S13-L	Smoker (American style L)		Material:Flame retardant PVC leather +SUS201, Size:34*29*13cm Φ10.5cm	100	20		
S14	Smoker (South America)		Material:PVC leather +SUS201, Size:43*25cm (closed transition) Φ15cm	100	3		
S15	Smoker (European style)		Material:PVC leather +SUS201, Size:Height * Width 24*21cm (closed transition) Φ10cm	100	20		
S16	Smoker (European style electric)		Material:PVC leather +SUS201 Size:Height * Width 24*21cm (closed transition) Φ10cm, Match with AA battery(not include in package)	100	20		
S17-L	Smoker (Italian style L)		Material:SUS201, Size:Size:30cm*Φ10cm, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	100	18		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
S17-M	Smoker (Italian style M)	A stainless steel smoker with a yellow funnel-shaped collector box and a tripod fuel support.	Material:SUS201, Size:Size:Size:26cm*Φ10cm, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	100	18		
S17-S	Smoker (Italian style S)	A stainless steel smoker with a yellow funnel-shaped collector box and a tripod fuel support.	Material:SUS201, Size:Size:20CM*Φ7.5CM, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	100	18		
SP01	Smoker box (Cow leather)	A rectangular wooden smoker box with a cow leather exterior.	Material:Cow leather &Veneer case	200	100		
SP01-2	Smoker box (PU)	A rectangular wooden smoker box with a PU (polyurethane) exterior.	Material:Micro leather &Veneer case	200	60		
SP01-3	Smoker box (PVC)	A rectangular wooden smoker box with a yellow PVC exterior.	Material:PU &Veneer case	200	60		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SP01-5	Smoker gas box		Material: PVC yellow gas box, box size: length: 19.3cm, width 12.7cm, Single item weight: 659g, The components consist of vaporizer, tank, resistance, USB cable, and silicone seal.	200	30		
SP02	Smoker box(Plastic)		Material:Plastic	100	60		
SP02-2	Smoker box(Plastic)		Material: Nylon, Color:White&Blue	100	60		
SP03	Inner tank (M)		Material:Iron	200	100		
SP03-S	Inner tank (S)		Material:Iron	200	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SP04	Tank support		Material:Iron:SUS201	400	500		
SP05	Smoker fuel		54pcs/bag	250	100		
SP05-2	Smoker fuel (jute)		size:12x320cm Density: 43 x44 Material:jute weight : 92g	250	200		
SP06	Smoker Buddy box (This product does not include smoker)		Product size: 24.5x15.4x37.5cm Material: handle and bow are iron chrome plated, barrel body 201 stainless steel double-sided wire drawing, product weight: 2.7kg, thickness: 0.8mm. 5pcs/CTN, 15.85KG , 96×28×43cm	250	10		
T01	Hive tool (thermal treatment, Hardness>50°)		Length:260mm,Weight:164g Widest Point:40mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm, (Customized:Length:240mm , Thickness:2.5mm)	120	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T01-2	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:170g ,Widest Point:40mm, Surface Treatment:Sanding and high temperature paint,Material:2CR13 Thickness:2.8mm	120	100		
T01-3	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:170g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm(Customized:Length:240mm Weight:160g)	120	100		
T01-C	Hive tool (Large+Mirror) (thermal treatment, Hardness >50°)		length :305mm, width: 50mm, height: 35mm, weight :235g, surface treatment: mirror light, material :2CR13 thickness :2.6-2.7mm.	80	60		
T01-D	Hive tool (Large+Mirror) (thermal treatment, Hardness >50°)		length :255mm, width: 40mm, surface treatment: mirror light, material :2CR13 thickness :2.6-2.7mm.	80	100		
T01-P	Hive tool(mirror polished with rubber handle)		total length 235mm thickness: 2.5mm Weight: 178g Widest point: 40mm Surface treatment: mirror light material: stainless steel 2CR13	140	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T01-R	Hive tool (Curved hook) thermal treatment, Hardness >50°		Length:228mm Widest Point:42mm Surface Treatment:Sanding Material:2CR13 Thickness:2.5mm	140	120		
T01-S	Hive tool (Color can be customized) thermal treatment, Hardness >50°		Length:240mm, Weight:133g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.5mm	140	100		
T01-SP	Hive tool (Color can be customized) thermal treatment, Hardness >50°)		Length:240mm, Weight:145g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.5mm	140	100		
T02	Hive tool (Wooden handle) thermal treatment, Hardness >50°		Length:200mm Widest Point:47mm Thickness:2.0mm Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13 Weight:108g	200	100		
T02-L	Hive tool (Wooden handle) thermal treatment, Hardness >50°		Length:310mm, Thickness 3.0mm , The widest point:51mm Handle:165mm*35mm*24mm, weight: 307g	64	50		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T02-P	Hive tool (Plastic handle) thermal treatment, Hardness >50°		Length:200mm, Widest Point:47mm Thickness:2.0mm, Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13, Weight:108g	200	100		
T03	Hive tool Thickness:3.8mm (thermal treatment, Hardness >50°)		Length:285m, Weight:135g Shovel:35mm, Surface Treatment:Sanding Material:2CR13 Thickness:3.8mm	120	100		
T03-2	Hive tool (thermal treatment, Hardness >50°)		Length:285mm, Weight:135g Shovel:35mm, Surface Treatment:High temperature paint, Material:2CR13 Thickness:2.8mm	160	100		
T03-T	Hive tool Thickness:2.8mm (thermal treatment, Hardness >50°)		Length:285m, Weight:125g Shovel:35mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	120	100		
T04	Hive tool Thickness:2.8mm (thermal treatment, Hardness>50°)		Length:270mm, Weight:145g Shovel:.45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	160	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T04-T	Hive tool Thickness:2.5mm (thermal treatment, Hardness >50°)		Length:270mm,Weight:130g Shovel:45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	160	100		
T04-TP	Hive tool Thickness:2.5mm (thermal treatment, Hardness >50°)		Length:270mm,Weight:130g Shovel:45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	160	100		
T05	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:184g Widest Point:85mm, Surface Treatment:Sanding, Material:2CR13 Thickness:2.8mm	80	80		
T06	Hive tool (thermal treatment, Hardness>50°)		Length:210mm,Weight:148g, Widest Point:75mm, Surface Treatment:Sanding Material:2CR13, Thickness:3.0mm (Stiffeners can be customized)	90	80		
T07	Hive tool (thermal treatment, Hardness >50°)		Length:240mm,Weight:140g, Shovel:30mm, Surface Treatment:High temperature paint, Material:2CR13 Thickness:3.0mm	150	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T08	Hive tool (thermal treatment, Hardness >50°)		Length:255mm,Weight:183g Surface Treatment:Sanding Material:2CR13 Thickness:3.0mm	120	100		
T09	Hive tool (thermal treatment, Hardness >50°)		Length:230mm,Thickness:23mm,Width:35mm,Weight:400g,Material: stainless steel,Precision casting	30	60		
T10	Hive tool (thermal treatment, Hardness >50°)		Length:188mm Widest Point:27mm Surface Treatment:Sanding Material:2CR13 Thickness:3mm	320	200		
T11	Hive tool (thermal treatment, Hardness >50°)		Length:228mm Shovel:43.66mm, Surface Treatment:High temperature paint ,Material:2CR13,Thickness:4.33mm	80	80		
T12	Hive tool (Small) (thermal treatment, Hardness >50°)		Length:157mm,Weight:72g ,Surface Treatment:Sanding,Material:2CR13	320	320		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T13	Hive tool (Extra long) thermal treatment, Hardness >50°	 	Length:388mm, Weight:220g, Surface Treatment:Sanding, Material:2CR13	80	80		
T14	Hive tool (Extra long)	 	Surface Treatment:mirror splishing&Spray paint, Material:2CR13, Size: 323mm	100	80		
T15	BB Multifunction hive tool (Patent)	 	Length:267mm, Weight:300g, Surface Treatment:Sanding, Material:2CR13	36	40		
T15B	BB Multifunction hive tool (Patent)	 	Length: 267mm, weight: 300g, surface treatment: mirror luster color wooden handle, material: 2CR13, handle: colorwood, product size: 29*19*5.5cm	120	64		
T16	Hive tool	 	Length:285mm, Weight:164g Widest Point:40mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	100	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T17	Hive tool (thermal treatment, Hardness >50°)		Length:195mm,Weight:90g, Surface Treatment:Sanding Material:2CR13 & Wooden handle	100	160		
T17-2	Hive tool (thermal treatment, Hardness >50°)		Material:2CR13 & Wooden handle, Surface Treatment:Spray paint,Length:195mm,Weight:83g	224	160		
T18	Hive tool (thermal treatment, Hardness >50°)		Size: Long26cm Widest Point:5.2cm,weight: 112g, thickness: 0.25cm material:stainless steel 2CR13	120	100		
T19	Hive tool (thermal treatment, Hardness >50°)		Length:202mm,Weight:120g, Surface Treatment:Sanding Material:2CR13	100	100		
T20	Hive tool (thermal treatment, Hardness >50°)		Length:310mm,Weight:65g, Surface Treatment:mirror splishing,Material:2CR13	100	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T21	Hive tool (Galvanized) thermal treatment, Hardness >50°		Size:21.8x3.3x2.5cm, Weight: 125g, thickness: 42mm, Material: Galvanized steel structure	120	200		
T22	Hive tool (thermal treatment, Hardness >50°)		Length:22CM, width:3.1CM, thickness:2.4mm weight: 112g, thickness:0.25CM, material: stainless steel 2CR13	120	160		
T23	Hive tool (thermal treatment, Hardness >50°)		Length:26. cm, width:6cm, thickness:2.5mm weight: 112g, material: stainless steel 2CR13	1000	160		
T24	Hive tool (thermal treatment, Hardness >50°)		Length:245mm, Weight:147g, Surface Treatment:mirror splishing, Material:2CR13	200	100		
T25	Hive tool (thermal treatment, Hardness >50°)		Length:310mm, Weight:115g, Surface Treatment:mirror splishing, Material:2CR13	100	120		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T26	Honey scraper knife		Material:2CR13	180	100		
T27	Honey scraper knife		Material:SUS430 Surface Treatment:Mirror polish	1000	200		
T28	Hive tool (small) (thermal treatment, Hardness >50°)		Length 250mm, width of head 57mm, thickness 3.0mm ,weight 154g,material: stainless steel 2CR13, Surface Treatment:Sanding	1000	100		
T29	Hive tool (large) (thermal treatment, Hardness >50°)		Length 330mm, width of head 57mm, thickness 3.0mm, weight:203g,material: stainless steel 2CR13, Surface Treatment:Sanding	1000	80		
T30	Hive tool (Spring steels Hardness: 40)		Material: 430 Spring steels Hardness: 40, Thickness:3.0mm , Customized:Length:260mm , single weight: 197g, Product size: L260*W45*H20mm Surface technology: spray paint	1000	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
T32	Flat scraper (Black paint, short and thin)		Product length 18.5cm, Width 3cm, thickness 0.3cm, surface treatment: spray paint (black) product weight: 129g, material: cast iron, grinding length on both sides 0.9cm.	1000	100		
T33	Small curved tail scraper(black paint)		Total length: 16cm, The widest point: 3.7cm, thickness 0.3cm, product weight: 82g, surface treatment, Material: cast iron, painted black.	1000	100		
K01	Uncapping knife (Thickness:1.5mm) thermal treatment, Hardness>50°		Length:300mm, Weight:95-105g, Blade :140mm*29mm, Handle:125mm, Surface Treatment:Mirror polish, Material:2CR13, Thickness (Customized) :1. 0mm&1.2mm	160	100		
K02	Uncapping knife (Blade: flat edge) thermal treatment, Hardness>50°		Length:395mm, Weight:150g, Blade:285mm*35mm, Hand le:105mm*22mm*15mm, Surface Treatment:Mirror surface, Material:2CR13	120	100		
K02-2	Uncapping knife (Blade:serrated) thermal treatment, Hardness>50°		Length:395mm, Weight:150g, Blade:285mm*35mm, Hand le:105mm*22mm*15mm, Surface Treatment:Mirror surface, Material:2CR13	120	100		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
K03	Uncapping knife (Blade: flat edge) thermal treatment, Hardness>50°		Length: 395mm, Blade: 285mm*35mm, Handle: 105mm*22mm*15mm, Surface Treatment: Sanding, Material: 2CR13	120	100		
K03-2	Uncapping knife (Blade: serrated) thermal treatment, Hardness>50°		Length: 395mm, Blade: 285mm*35mm, Handle: 105mm*22mm*15mm, Surface Treatment: Sanding, Material: 2CR13	120	100		
K04	Uncapping knife (thermal treatment, Hardness>50°)		Weight: 128g Blade : 230mmX35mm Handle: 105mmX22mm Surface treatment: sanded, flat edge. Material: Stainless steel 2CR13. Red grinding wood, aluminum nails	120	100		
K05	Uncapping knife (thermal treatment, Hardness>50°)		Length: 323mm, Weight: 126g	180	120		
K05-2	Uncapping knife (thermal treatment, Hardness>50°)		Length: 345mm, Weight: 147g handle length: 115MM;	180	120		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
K06	Uncapping knife (thermal treatment, Hardness>50°)		Lenth:420mm , weight:190-210g, blade length:280mm, blade width:45mm, handle size:125mmX30mmX18mm (Blade: customizable serrated or flat edge)	120	80		
K07	Uncapping knife (thermal treatment, Hardness>50°)		Length:395mm , Weight:126g, Blade:280mm*35mm, Handle:115mm, Surface Treatment:Mirror polish, Material:2CR13 Thickness:1.2mm	180	266		
K08	Uncapping knife (thermal treatment, Hardness>50°)		Length:415mm, Weight:107g, Blade:300mm*37mm , Handle:115mm, Surface Treatment:Mirror polish, Material:2CR13 Thickness:1.0mm	250	250		
K09	Uncapping knife (thermal treatment, Hardness>50°)		Length:335mm, Blade:225mm*30mm, Handle:100mm*20mm, Surface Treatment:Mirror polish Material:2CR13 Thickness:0.6mm	300	300		
K10	Electric uncapping knife (Sanding Plugs:, American, Australian;Other specs can be customized)		Length:440mm , Thickness:7.0mm, Weight:585g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized), Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110-220V Power:300W	25	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
K10-B	Ultrathin alligator clip electric knife		Material:SUS304&Beech Handle:130mm*35mm*25mm thickness: 2.0mm Blade size: 2x40x230mm Operating voltage: 12 V Operating temperature: 70-110° C Power: 65W Weight: 350g Heating time to operating temperature: 30-40 seconds Wire length: 2 meters	25	25		
K10-E	Clip electric uncapping knife		Length:440mm ,Thickness:7.0mm , Weight:600g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized) Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding, Voltage:12V Power:300W	25	25		
K10-T	Electric uncapping knife(with thermo regulator)		Length:440mm, Thickness:7.0mm , Weight:590g Blade:250mm*50mm, Handel:145mm*30mm*40mm Material:SUS304&Beech, Wire length:1.5M (Length can be customized) Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding Plugs: , American, Australian (Other specs can be customized) Voltage:110&220V Optional Power:300W 1pc/brown box: 51*8*7 G. W. : 0.6kg	25	25		
K10-TS	Electric uncapping knife(with thermo regulator)		Maximum temperature of 180 degrees, Minimum temperature 50 degrees, on off keys represents switch; HEAT light represents electric knife heating, SET key represents adjusting temperature 1pc/brown inner box;	25	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
K10-Y	BB Electric uncapping knife(with thermo regulator)		Temperature Range: 0-180°C adjustable, Constant heating plate control, Max Output Power: 800W, Input Voltage: 110V-230V, Can switch Celsius and Fahrenheit by short press switch button, Can turn ON or OFF by long press switch button, Plus or Minus 5 unit each by press "+" or "-" button Blade length 25cm	25	25		
K11	Uncapping knife (thermal treatment, Hardness>50°)		Thickness:1.2mm , Surface Treatment:Mirror polish. Material:SUS2CR13&ABS	150	140		
K11-2	Uncapping knife (patent) thermal treatment, Hardness>50°		Length:40mm Weight:120g Surface Treatment:Sanding Material:2CR13	150	140		
K12	Uncapping knife (thermal treatment, Hardness>50°)		material:Tungsten steel solid wood length: 415mm weight: 231g	150	150		
K13-L	Uncapping knife(Large) thermal treatment, Hardness>50°		Length:340mm , Weight:76g, Thickness:1mm, Blade:30mm, Surface Treatment:Mirror, Material:2CR13, Optional: Double side serrated & Double side flat surface	300	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
K13-S	Uncapping knife (thermal treatment, Hardness>50°)		Length:260mm,Weight:57g,Thickness:1mm ,Blade:28mm, Surface Treatment:Mirror,Material:2CR13,Optional: Double side serrated & Double side flat surface Wooden Handle	288	200		
K14	Frame clean knife (thermal treatment, Hardness>50°)		Surface Treatment: Sanding&Sharp blade Material: 2CR13&Wooden handle	460	460		
K15	Uncapping knife (thermal treatment, Hardness>50°)		Length: 420mm Weight: 175g Thickness:2.0mm,Blade width: 35mm ,Surface treatment: Mirror ,Material: stainless steel 2CR13	120	80		
K16	Electric uncapping planer		Material:Copper&Beech Plugs:European , American Voltage: 110~220V Power: 450W total length:29.5cm 不带柄8.5cm width:12.5cm 带加热管宽16cm	20	20		
K17	Uncapping knife (thermal treatment, Hardness>50°)		Length:303mm ,Weight:160g, Surface Treatment:mirror splishing,Material:2CR13 &Solid wood handle,Use:Uncapping &scraper	200	200		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
K18	BB Uncapping knife (patent) thermal treatment, Hardness>50°		Length:470mm,Weight:202g, Material:2CR13	80	80		
K19	Uncapping knife (thermal treatment, Hardness>50°)		Length:270mm,Weight:140g , Surface Treatment:mirror splishing,Material:2CR13 & Solid wood handle,Use:Uncapping &scraper	100	100		
K20	Uncapping knife (thermal treatment, Hardness>50°)		Length:270mm,Weight:80g, Surface Treatment:mirror splishing, Material:2CR13,Use:Uncapping &scraper	200	240		
K21	Electric uncapping knife (Plugs:, American, Australian;Other specs can be customized)Blade: serrated		Length:515mm, Thickness:7.0mm, Weight:550g Blade:325mm*50mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized),Max temperature:150~190°C Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110-220V Power:300W	25	25		
UF01	Uncapping fork (18 needles)		Needle material:SUS304, Handle material:Plastic, Needle thick:2.0mm, Color: red, yellow, green ,Needle: straight, curved	300	400		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF02	Uncapping fork (21 needles)		Needle material:SUS304, Handle material:Plastic, Needle thick::1.6mm , Color: red, yellow, green, Needle: straight, curved, rake	300	400		
UF03	Uncapping fork		Needle material:SUS304, Handle material:Aluminum&wooden, Needle thick:1.6mm	100	100		
UF04	Uncapping roller		Needle material:SUS201, Size: 230*65mm	72	48		
UF05	Uncapping roller (Plastic handle)		Weight:220g, Material:PP "Handle: 100PCS/CTN GW:16.05kg 40*30*27cm Wheel: CTN:61*33*43cm 200PCS/CTN GW:18.4kg"	100	200		
UF05-2	Uncapping roller (Wooden handle)		Weight:240g, Material:PP "Handle: CTN:39*35*31cm 100PCS/CTN GW:16.3kg Wheel: CTN:61*33*43cm 200PCS/CTN GW:18.4kg"	100	200		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF06	Uncapping roller (European)		Size:28.5x16.5x8cm Weight:265g Material:pp	100	24		
UF07	Uncapping fork (20 needles)		Colour:Yellow, Needle material:SUS304, Handle material:Plastic	200	200		
UF08	Uncapping fork (21 needles)		Material:PP & SUS304, needle thickness:1.6mm, length:55mm, Plastic Bright surface, Weight:85g	200	240		
UF09	Uncapping fork		Needle material:2CR13 Handle material:Rubber	140	150		
UF10	Uncapping rake		Surface treatment: galvanized, Material: galvanized iron, wooden handle	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF11	Uncapping fork (19 needles)		Needle material:2CR13,Handle material:PP	200	160		
UF11-2	Uncapping fork (18 needles)		Material: 304 stainless steel needle, handle; PP Length: 225mm Weight: 130g The width of the steel fork is 76mm, the steel needle is curved, and there are holes at the bottom of the handle.	200	0		
UF12	Uncapping fork (25 needles)		Size: Length 22.5cm width: 13.5cm thickness:0.21cm,weight: 150g materail: needle stainless stell SUS304 +PP handle	100	100		
UF13-1	Uncapping fork		Material:SUS304 handle:Rubber wood or eucalyptus length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	80	80		
UF13-1A	Uncapping fork (Adjustment)		Material:SUS304 handle:Rubber wood or eucalyptus	80	80		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF13-1AP	Uncapping fork (Adjustment Plastic handle)		Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	80	80		
UF13-1P	Uncapping fork (Plastic handle)		Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	80	80		
UF13-2	Uncapping fork (L)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	60	60		
UF13-2A	Uncapping fork (L Adjustment)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	60	60		
UF13-3	Uncapping fork (Double-ended needle)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	80	80		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF13-3A	Uncapping fork (Double-ended needle Adjustment)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	80	80		
UF13-3AP	Uncapping fork (Adjustable Plastic handle)		Material:SUS304 handle:Plastic width:7.5cm	0	80		
UF13-3P	Uncapping fork (Double-ended needle Plastic handle)		Material:SUS304 handle:Plastic width:7.5cm	80	80		
UF13-4	Uncapping fork (plastic handle)			100	80		
UF14	Uncapping roller (4")		Roller length:10cm, 15cm, 20cm, and 25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm,Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	100	100		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF14-2	Uncapping roller (6")		Roller length:15cm(other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm,Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	100	100		
UF14-3	Uncapping roller (8")		Roller length:20cm(other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm,Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	100	100		
UF14-4	Uncapping roller (10")		Roller length:25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm,Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	100	100		
UF15	Uncapping fork (17 needles)		Needle material:SUS304,Handle material:Plastic,Needle thick:2.0mm	0	400		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
UF16	Honey Uncapper		<p>You are buying a new style of uncapper which is simple in its use and clean up. IDEAL FOR BIG OR SMALL APIARISTS</p> <p>The benefits of the Roller uncapper is that is a time saver for both the bee keeper and the bees. The roller uncapper barely damages the comb giving the bees a quick turn around once the sticky is reinserted into the hive. The Roller uncapper works with all sizes of Langstroth frames, including Full depth, ideals and halves.</p> <p>The roller uncapper can uncap 30 frames in under 5 minutes.</p> <p>Heavily built design weighing in at 4.5kg and made from heavy duty nylon and each roller is cut out of a single solid bar of aluminium. Measures in at 555mm wide 195mm deep and 75mm high. Simple spring loaded design using a buy anywhere o ring.</p> <p>The Roller uncapper can be mounted on most uncapping trays (Fittings or trays not included)</p> <p>There is no heat, electricity or sharp edges. Minimal wax loss from frames means quicker straining times.</p>	0	1		
FG01	Frame gripper (Stainless)		<p>Size:130mm*130mm, Thickness:1.8mm, Surface Treatment:Mirror polish and Sanding, Material:SUS2CR13</p>	100	100		
FG02	Frame gripper (Iron)		<p>Weight:195g Size:130mm*90mm Thickness:2.0mm Surface Treatment:Metal plating Material:Iron</p>	140	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FG03	Frame gripper (with bee tool)		Size:270m*130mm*105mm, Shovel:35mm, Thickness:2.8mm, Weight:295g Surface Treatment:Electrolytic polishing Material:2CR13	128	48		
FG03-2	Frame gripper (with bee tool)		Total length: 23cm Weight: 296g Body size: 12.8*12.5cm The widest part of the scraper head is 1.6cm. Material: cast iron, thickness: 0.4cm	128	48		
FG04	Frame gripper (short clip)		Size:130*140mm , Material:Galvanized iron	120	64		
FG05	Frame gripper (Long clip)		Size:130*140mm, Material:Galvanized iron	160	40		
FG06	Frame gripper		Material:Galvanized iron, Thickness:3mm	128	60		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FG07	Frame gripper (Wooden handle)		Material:SUS201+Beech wood handle, Thickness:27mm, Product weight: 0.235g	176	60		
FG07-2	Frame gripper (Plastic handle)		Material:SUS201+PP Plastic handle, Thickness:3mm, Product weight: 0.228g	176	50		
FG07-4	Plastic Frame gripper		Length: 14cm, Weight: 81g, The widest part of the shovel head is 5.5cm, material: PP	176	0		
FG08	Frame gripper (French)		Material:SUS201	120	60		
FG08-2	Frame gripper (French)		Clamping width: 14mm Product material: 410 stainless steel material thickness: 2.0mm	120	60		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FG09	Frame grip(European Style)		Material:SUS201	160	40		
FG10	Frame gripper(with bee tool)		Material:Galvanized iron	120	64		
FG11	Frame gripper(Iron)		Material:Galvanized iron	100	50		
FG12	Frame gripper (Aluminum)		Material: Aluminum	160	50		
FG13	Frame gripper (South America)		Material: stainless steel 2CR13, size: 27*6*11, weight: 320g, Surface treatment: red paint	160	40		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FG14	Honey comb fork		Material:SUS201	160	160		
FG15	Electric bee taking-off machine		1. Voltage: 20V, Frequency: 1200-1500-1800, speed: 0-2700 round/minute. 2. the frame holder range: width: 25-30mm, Thickness \leq 22 mm 3. The lithium battery : 2000mAh Standard: (single battery)	10	5		
FG15-2	Electric bee taking-off machine		Jitter frequency : 600-2000BPM Rated voltage: 20V Clamping range: width 25-30mm, thickness \leq 22mm Battery capacity : 2000MAH, one brushless motor, High efficiency, low energy consumption, durable, standard with two batteries.	5	5		
FG16	Frame grip (Stainless)		bayonet: 2cm, thickness: 0.8mm, material: stainless steel, not open mould yet	0	64		
FG17	Frame grip (Stainless)		Product material: 201 Product size: 14.2*4.8*14cm Opening size: 2.5x3.7cm product weight: 209g	0	50		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FG17-2	Frame grip(Stainless)		Product material: 201 Product size: 21*6.5*25cm opening size: 2.5x3.7cm product weight: 308g	0	40		
FG18	BB Frame grip(201 Stainless)		Product material: 201	100	40		
FG18-2	Frame grip (with beehive tool)		Total length: 18.2cm Weight: 344g Body size: 14.5*13cm, The widest part of the scraper head is 4cm, material: 201 + beech handle	100	40		
BR01	Bee brushes(Double rows horsehair)		Handle:47cm, Brush width:7.5cm, Brush material:Horsehair, Handle material:Pine	200	150		
BR01-2	Bee brush(Double-row bristles, wooden handle with scraper)		Handle length: 41.3cm Bee sweep length: 15cm Weight: 211g, handle material: pine, scraper length from the tail is 5.5cm, width: 4.5cm Surface treatment: sanding, scaper head grinding Material: stainless steel 2CR13	200	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BR02	BB Bee brushes(Single row plastic)		Length: 450mm,Weight: 169g,Material: plastic	200	100		
BR03	Bee brushes(Single row Plastic)		Handle length: 35cm , Brush length: 6.5cm , Material : varnished beech + plastic brush , product weight : 98g	200	200		
BR04	Bee brushes (Four rows horsehair)		Handle:40cm Brush width:21cm Brush material:Horsehair Handle material:Pine	200	250		
BR05	Bee brushes (Double rows bristles)		Handle:40cm, Brush width:2.1cm, Weight:80g, Brush material:Bristles, Handle material:Pine	360	500		
BR06	Bee brushes (Double rows horsehair)		Handle:40cm, Brush width:2.1cm, Weight:42g, Brush material:Horsehair, Handle material:Pine	400	500		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BR07	Bee brushes(single rows horsehair)		Handle:40cm, Brush width:2.1cm, Weight:70g, Brush material:Horsehair, Handle material:Plastic	300	600		
BR08	Electirc bee taking-off machine		Rated power:150W, Voltage:12V	10	1		
BR09	Bee brushes(Three rows bristles)		Handle:40cm, Brush width:7.5cm, Weight:100g, Brush material:Bristles, Handle material:Pine	300	320		
BR10	Bee brushes(Three rows plastic)		Handle:40cm, Brush width:8cm Weight:95g, Brush material:Plastic Handle material:Pine	300	320		
BR11	BB Beebrushes(Double rows bristles)		200PCS/CTN Handle:450mm Brush width:7cm Weight:160g	300	100		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT01	Double strainer (Φ24cm)		Size: Φ240mm, Mesh material: SUS304, Filter screen height: 65mm, Upper layer: 16 mesh, Under layer: 40 mesh	100	10		
FT01-2	Double strainer (Φ24cm)		Size: Φ240mm, Height: 110mm; Mesh material: SUS304, Filter screen height: 65mm, Upper layer: 16 mesh, Under layer: 40 mesh	100	10		
FT01-3	Double strainer (Φ24cm)		Diameter: 24cm, Height: 15.3cm, Upper layer: 16 mesh, Down layer: 40 mesh. Material: SUS304 mesh, SUS201 extented holder	100	10		
FT01B	Double strainer (large Φ32cm)		Size: Φ320mm, Mesh material: SUS304, Filter screen height: 65mm, Upper layer: 16 mesh, Under layer: 40 mesh	100	10		
FT02	Double strainer (Nylon)		Size: Φ240mm*60mm, Mesh material: Nylon, Case material: Nylon, Upper layer: 16 mesh, Under layer: 40 mesh	100	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT02-2	White plastic double layer honey filter		Diameter 29cm, height 6cm, weight: 257g, material: PP.	100	20		
FT03	Double strainer (PP)		uper layer Size: Φ 295mm	100	20		
FT04	Double strainer (ABS)		Size: Φ 230mm, Mesh material: ABS, Weight: 676g, single layer height : 8cm, double layer height : 14.8cm	1000	10		
FT05	Honey strainer		Size: Φ 255mm, Material: SUS201	100	50		
FT05-2	Honey strainer		Size: Φ 255mm, Material: SUS201	100	100		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT06	Honey strainer		Size: Φ 230mm, Material: SUS201 Under layer: 40 mesh	100	50		
FT07-3	Honey filter (0.3 mm square mesh ø33cm)		Material: Nylon, 0.3 mm square mesh ø33cm	100	200		
FT08	Honey filter (Thick style)		Size: 35X23cm, Material: Nylon	200	240		
FT08-2	Honey filter		Size: 50X35cm, Material: Nylon	200	240		
FT09	Uncapping tray		Surface Treatment: Sanding, Material: SUS201, size: 470*432*100mm	20	1		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT09B	Plastic uncapping tub		Material:PP, Usage:Use with Uncapping tray Product size 540*420*300mm	20	3		
FT10	Uncapping tray		Surface Treatment:Mirror polishing, Material:SUS201	20	1		
FT11	Double strainer (34MM)		Size:40x240x120mm Mesh material:SUS304 Upper layer:16 mesh Under layer:40 mesh	100	10		
FT13	Honey comb holder uncapping tray		Size:stainless steel disc 600*400*95mm plastic box: external dimension:600x400x175mm internal, dimensions:550*365*160mm Mesh material:SUS201+PP	100	1		
FT14	Uncapping tray		Size:stainless steel disc 600*400*150mm plastic box: external dimension 600x400x230mm internal dimensions 550*365*220mm Mesh material:SUS201+PP	100	1		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT20-4	304 stainless steel honey comb Uncapping Tank (1200mm)		size:1250*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	100	1		
FT15	Honey filter (1 mm square mesh .ø33cm. length 47cm)		Material:Nylon, 201 Stainless steel ring, ø33cm , 1 mm square mesh, length 47cm.	100	120		
FT20-3	304 stainless steel honey comb Uncapping Tank (1000mm)		size:1050*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	100	1		
FT20-2	304 stainless steel honey comb Uncapping Tank (800mm)		Product size:850*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	100	1		
FT20	304 stainless steel honey comb Uncapping Tank (600mm)		Product size:650*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	100	1		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT15-2	Honey filter (0.3mm square mesh. ø33cm. length 36cm)		Material:Nylon, 201 Stainless steel ring, ø33cm ,0.3mm square mesh, length 36cm.	100	200		
FT15-3	Honey filter (0.2 mm square mesh ø33cm))		Material:Nylon, 201 Stainless steel ring, ø33cm ,0.2 mm square mesh, length 36cm.	100	200		
FT16	Honey filter (1 mm square mesh ø45cm))		Material:Nylon, 201 Stainless steel ring, ø45cm ,1 mm square mesh length 47cm	100	260		
FT16-2	Honey filter (0.3 mm square mesh ø45cm))		Material:Nylon, 201 Stainless steel ring, ø45cm ,0.3 mm square mesh length 36cm	100	260		
FT16-3	Honey filter (0.2 mm square meshø45cm))		Material:Nylon, 201 Stainless steel ring, ø45cm ,0.2 mm square mesh length 36cm	100	260		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FT17	Uncapping tray for honey flow		Material: 201 stainless steel product size: 455x320x40mm thickness: 1.0mm Support thickness: 2.0mm, Weight: 1.3kg	100	10		
FT18	Honey filter (304 stainless steel)		1. The wall thickness of stainless steel is 0.8MM 2. The middle hole diameter is between 4.0 and 5.0. 3. The hole spacing is 3.0mm. 4. The overall shape keeps the taper, and the taper is between 48 degrees and 49 degrees. 5. The diameter of the top of the product is 178mm, the diameter of the bottom is 44.5mm, and the height is 150mm. Material: 201 stainless steel	1	10		
FT19	Stand for Strainer Ø30cm		Material: 201 Stainless Steel Diameter 30cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1600g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 32cm to 60cm in diameter. . They can also be placed on smaller buckets, but won't be as secure.	100	10		
FT19-2	Stand for Strainer Ø45cm		Material: 201 Stainless Steel Diameter 45cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1700g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 45cm to 90cm in diameter. . They can also be placed on smaller buckets, but won't be as secure.	100	10		
WB01	Square steam wax melting pot		Machine's parameter: - Material: SUS304 - Total height: 820 mm Tank dimensions: - Lenght - 580 mm Width - 420 mm Height - 610 mm Diameter of the drain - 25mm Steam generator: Power supply 230V / 50 Hz, Power 1800W, Water capacity 4L	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
WB02	Round steam wax melting pot		Machine's parameter: - Material: SUS304 - Total height: 720mm -Diameter:530mm - Diameter of the drain - 25mm Steam generator: Power supply 230V / 50 Hz, Power 1800W, Water capacity 4L	0	1		
WB03	Steam wax melter		Voltage/Frequency:220-240V~50HZ Input power: 1850W-2200W Capacity:3L/max, Working Time:45min, Black Tube Length:3.0m , With Black plate Imports Temperature Control VDE plug 1.5m Rubber cable(H05RN-F 3G1.0mm ²) Packing in mail Box CE GS EMC ROHS	0	4		
WB03-2	Steam wax melter		Voltage/Frequency: 220-240V~50/60Hz Input Power: 1850-2200W Boiler Capacity: 4.5L/max Steam Timer : 70 min Plate Size: 28x20cm Colorbox Size: 32x26x31 cm Quantityin : 20/40' 20:1016pcs/40:2200pcs CE GS EMC ROHS	0	4		
WB08	Wax Melting Pot		Quick heat conduction, gentle melting, backflow groove design on both sides to facilitate backflow, extended silicone handle, can withstand high temperatures of about 200 degrees. Capacity: 400ML	0	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HF01	Honey filling machine		<p>Product parameters Product number: CSY-L15 Rated voltage: AC220V 50Hz Rated power: 200W Maximum flow rate: 15L/minute Applicable capacity: 20g-10Kg Filling error: ≤2-5g Filling height: 0-40cm可调 Total Weight: 12.5kg Product Size: 26cm*27cm*20cm Package dimensions: 35cm*35cm*35cm Automatic peeling: ✓ Automatic start and stop: ✓ Automatic deceleration: ✓ Automatic counting: ✓ Automatic reset: ✓ Automatic storage: ✓ Power off memory: ✓ Automatic learning: ✓ Delay adjustable: ✓ Hand release detection: ✓</p>	1	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HF01-2	Honey filling machine		<p>Product parameters Product number: CSY-L15 Rated voltage: AC220V 50Hz Rated power: 200W Maximum flow rate: 15L/min Applicable capacity: 20g-10Kg Filling error: $\leq 2-5g$ Filling height: 0-40cm可调 Total Weight: 12.5kg Product Size: 26cm*27cm*20cm Package dimensions: 35cm*35cm*35cm Automatic peeling: \checkmark Automatic start and stop: \checkmark Automatic deceleration: \checkmark Automatic counting: \checkmark Automatic reset: \checkmark Automatic storage: \checkmark Power off memory: \checkmark Automatic learning: \checkmark Delay adjustable: \checkmark Hand release detection: \checkmark</p>	1	1		
HF02-3X	Honey filter		<p>Product size: 360*200*150mm Pumping Amount (kg honey/h) ~ 1000 kg/h Fittings 2x 2" BS hose connection Materials: Massive Plastic Rotation Speed: 180 RPM Length: 26.5cm Width: 14.5 cm Voltage: 110-230 V/24V Pumping Amount (L/h) 700 L/h Filter mesh number: 100 mesh</p>	1	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HF02-4X	Honey filling machine		<p>Rated voltage DC12V AC110VAC220 Rated power 60W ~ 120W Product Size 420mm x 287mm x 165mm Package size 400*400*250-1 Conveying flow Example: 500g 300 bottles /H 1000g 220 bottles /H, manual control start/stop Machine Weight 8KG Gross weight 9KG Applicable range Fluid 34 to 42 Baume Applicable liquid temperature 15 to 70 ° C Filling requirements below 42 Baume and ambient temperature above 15 ° C</p>	1	1		
HF02-5X	Honey filling machine		<p>Small intelligent honey pot machine, not need the compressor air pump, not need to turn the barrel, it can be pumped after inserting the pipe. It is suitable for 38~43 Beaufe degree liquid honey canning, bottling weight range of 100~5000 grams can be set freely, manual/automatic two modes, 500 grams bottle take 8 seconds, support 220V household electricity, 12V battery connection (universal), can be canned in the field, each equipment can canned 2 tons of honey every day. Clean and hygienic, low noise and convenient.</p>	1	1		
HF02-6X	Honey filling and filtering machine		<p>Small intelligent honey pot machine, not need the compressor air pump, not need to turn the barrel, it can be pumped after inserting the pipe. It is suitable for 38~43 Beaufe degree liquid honey canning, bottling weight range of 100~5000 grams can be set freely, manual/automatic two modes, 500 grams bottle take 8 seconds, support 220V household electricity, 12V battery connection (universal), can be canned in the field, each equipment can canned 2 tons of honey every day. Clean and hygienic, low noise and convenient.</p>	1	1		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HF02-7X	Double head multi-function honey filling machine		1, honey concentration: semi-crystalline honey, mature honey, honey below 43.5 degrees 2, filling efficiency: 500 grams of honey, 1000 bottles per hour 3, rated voltage: household electricity 220V 4, honey filtration: 1 hour 1200 kg 5, honey bucket: 1 hour 1300 kg 6, filling range: 1 g -10 kg	1	1		
HF03	Honey filling machine		Specification: 1, Working temperature: 15-120°C 2, Speed: 80g/second, 5.0kg/minute 3, Filling range: 50g-2500g 4, Solution tank: 33L, 47kg honey 5, Driving voltage: 12V Solenoid voltage: 12V6, Service life: >200 thousand times 7, Working pressure : 0.3-0.8MP8, Power:5w 9, Weight: 13kg (Material: 202 stainless steel) / 15kg (Material: 304 stainless steel) 550 Watt, 8 Litre air compressor self prepared.	1	1		
HF04	Hand pressure filling machine (10L)		Equipped with 2 discharge nozzles, 4MM and 8MM outer diameter, capacity is 10L, manual filling, product size; 27*27*70 cm, hopper capacity is 10L, filling nozzle diameter 8mm (outer diameter), filling range 5-50ml, filling times: 5-15 times.	1	1		
CL01	Beehive shovel		Length:205mm Shovel:105mm*80mm Thickness:1.8mm, Handle:100mm, Surface Treatment:Zincing	180	180		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
CL01-2	Beehive shovel		Length:200mm, Shovel:105mm*80mm Handle:95mm*22mm, Surface Treatment:Mirror polish Material:SUS430, Thickness:1.8mm	180	200		
CL02	Excluder cleaner		Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm, handle L:12.5cm, Φ2.9cm, Surface Treatment:Mirror polish, Material:SUS430, thickness:1.5mm	176	120		
CL02-2	Excluder cleaner		Material:SUS304, Thickness:1.5mm, (Customizable: Double-sided teeth&Plastic Handle)	176	176		
CL02-3	Excluder cleaner(Plastic handle)		Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm, handle L:12.5cm, Φ2.9cm, Surface Treatment:Mirror polish, Material:PP & SUS430, thickness:1.5mm	0	120		
CL02-4	Excluder cleaner(Plastic)		Size:12.5*7.5*4.8cm Material:Plastic	252	500		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
CL02-6	Excluder cleaner (Wooden handle)		The total length is 20cm, the length of the scraper head is 6.4cm, the width head is 3.1cm on one side, and it is curved. The handle is 12.5cm long and 2.9cm in diameter. Surface treatment: The scraper head is mirror-finished. The handle is not painted. Material: stainless steel.	0	0		
CL03	Frame cleaner		Material:Galvanized iron, Thickness:3mm	200	200		
CL04	Honey scraper knife with shovel		Length 16.7cm, width 12.1cm, height 2.1cm , weight 252g, thickness 0.31cm, material: 201 stainless steel	1000	100		
CL05	Beewax scraper		Material:SUS201	300	400		
CL06	Frame cleaner		Length: 270mm needle length: 150mm handle length: 120mm weight: 85g material: 201 stainless steel handle:solid wood	200	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
CL06-2	Frame cleaner		Material: 201 stainless steel weight :89g size: 23.7*3.1*0.6cm	200	250		
CL07	Pollen grip		Material:SUS304	500	1300		
CL08	Royal jelly cleaner		Material:PP	500	1500		
CL08-2	Royal jelly cleaner		Material:Plastic length:15cm	500	1500		
CL08-3	Royal jelly cleaner (50pcs/box)		Material:bamboo 50只/box, weight:201g	500	120		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
CL08-4	Royal jelly cleaner		Material:Plastic	300	100		
CL08-5	royal jelly pen		Length: 95mm,Width: 82mm,Weight: 28g,Material: PP/food grade	200	200		
CL08-6	Royal jelly cleaner (9-CT)		Length: 95mm,Width: 82mm,Weight: 30g,Material: PP/food grade	200	200		
CL09	Honey scraper		Material: PP Weight: 137g Size:22*13*1.8cm	120	100		
CL09-2	Honey scraper		Material: silicone spatula Size:34.5x7.5cm Weight: 123g	0	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
CL10	Excluder cleaner(Plastic)		weight:31g, 9 teeth, material:PP size:13*4.5*1.5cm	2000	300		
CL11	Beehive cleaning scraper (wooden handle)		Product length 36.5cm, Handle length 19cm, scraper body dimensions: length 17.5cm, width 8.3cm, thickness 0.2cm, single product weight: 296g, surface treatment: sanding. material: stainless steel 304	180	200		
CL12	Flat beehive cleaning scraper(wooden handle)		Product length 24cm, Handle length 10cm, scraper body dimensions: length 14cm, width 8.3cm, thickness 0.3cm, surface treatment: sanded Product weight: 293g, material: stainless steel 304.	180	200		
CL13	Cleaning rake, stainless steel		Product length: 67.7cm, long pole length 60.3cm, scraper head length: 11.6cm, bend angle 90 degrees, scraper head in triangular shape, tip welded to the top of the long pole, material: 201. Weight: 291g.	180	0		
CL09-3	Honey scraper		Product size: 23x12.5cm weight: 64g	0	250		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BT01	Beehive tie strap		Surface Treatment:galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:5M Rope width:25mm Colour:Customized	100	50		
BT01-2	Beehive tie strap (With hook)		Surface Treatment:Galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:4.6M Rope width:25mm Colour:Customized	100	42		
BT02	Beehive tie strap (Australian)		Material:Galvanized iron Length :5m, 10 teeth. Thickness: Iron shell 2.5mm.Iron core 5.0mm.Iron sheet 0.4mm. Weight:650g	240	25		
BT02-2	Beehive tie strap (Australian Nylon)		Material:Galvanized iron Length :5meters Thickness: Iron shell 2.5mm.Iron core 5.0mm. Weight:600g	200	20		
BT02-4	Beehive tie strap (Australian)		Material:Galvanized iron Length :5meters ,Weight:600g ,10 teeth,Thickness of iron case: 2.5	240	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BT03	Beehive tie strap(BIG)		Rope material:Polypropylene Rope length:10M	100	10		
BT04	Beehive tie strap (Australian)		5M yellow polyester braid strap, breaking force 1 ton (tested) Rope width:26mm	200	100		
BT06	Beehive tie strap		1.2m green Polypropylene strap, breaking force 300kg , rope width:25mm	400	240		
BT07	Beehive tie strap (US)		10mm SUS201, 3M blue polyester braided tape, breaking force 200kg(test)	500	50		
BT08	Beehive tie strap (Euro)		10mm SUS201, 5M yellow polyester braid strap, breaking force 1 ton (tested)	500	60		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BT09	Beehive tie strap (304)		Material: SUS304, strap: 3 meters, black polyester tape with UV primer, ultraviolet-proof	500	60		
BG01CG	Bee gloves (Grade sheepskin, Grade A sheepskin)		Material: Golden sheepskin & Canvas, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG01CW	Bee gloves (White A sheepskin)		Material: White sheepskin & Canvas canvas, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG01PG	Bee gloves (Golden sheepskin, Grade A sheepskin)		Material: Golden sheepskin & + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG01PW	Bee gloves (White sheepskin, Grade A sheepskin)		Material: White sheepskin & Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm	200	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BG02	Bee gloves (With mesh, Grade A sheepskin)		Material: White sheepskin & Polyester cotton or canvas, Size: L, XL, XXL, Length: 480mm-520mm, Colour: yellow, white	200	200		
BG03	Bee gloves (Breathable, Grade A sheepskin)		Material: Golden sheepskin + High breathable mesh + Polyester cotton Size: L, XL, XXL Length: 480mm-520mm Colour: yellow, white	200	200		
BG04	Bee gloves (Breathable, Grade A sheepskin)		Material: White sheepskin + High breathable mesh + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG05	Bee gloves (Breathable, Grade A sheepskin)		Material: Golden sheepskin + High breathable mesh + Canvas, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG06	Bee gloves (Mesh, Grade A sheepskin)		Material: three - layer breathable mesh cloth and sheepskin	200	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BG07	Bee gloves (Euro, Grade A sheepskin)		Material: White sheepskin + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG08	Bee gloves (Euro, Grade A sheepskin)		Material: White sheepskin + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG09	Bee gloves (White sheepskin breathable, Grade A sheepskin)		Material: White sheepskin + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm	200	200		
BG10	Rain boots		Size 39-45 Textile material Height: 3cm Tube height: 38cm Material PVC+ beef tendon sole, anti-hit, anti-puncture, insulation and corrosion resistant	200	20		
BG11	Bee gloves (Yellow sheepskin breathable, Grade A sheepskin)		Material: sheepskin + Polyester cotton, Size: S, M, L, XL, XXL, Length: 480mm-520mm	200	200		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BG12	Bee gloves (Yellow sheepskin ,Grade A sheepskin))		Material:sheepskin +Polyester+Leatherette cotton, Size:S, M, L, XL, XXL, Length:480mm-520mm	200	200		
BG13	Bee gloves (White/Yellow sheepskin)		Material: White sheepskin or yellow sheepskin Size: S M L XL XXL	200	200		
BG14	Rubber canvas bee gloves		Material: Rubber and canvas, size: S M L XL	200	200		
BG15	Cow leather beekeeping gloves		Product length is 47cm, finger length is 18.5cm, cuff length is 28.5cm, cuff width is 10cm, customizable sizes: L, XL, XXL.	200	200		
BG17	White sheepskin beekeeping gloves		Material: White sheepskin gloves, ribbed cuffs, length: 30cm, threaded part length: 10cm, glove length: 20cm. Size: L, XL, XXL	200	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BG18	Yellow sheepskin beekeeping gloves		Material: yellow sheepskin, ribbed cuffs, Size: L, XL, XXL length: 43.5cm, threaded part length: 8cm, glove length 36cm.	200	200		
BG16	Cow beekeeping gloves		Product length is 47cm, finger length is 18.5cm, cuff length is 28.5cm, cuff width is 10cm, customizable sizes: L, XL, XXL.	200	200		
HA18L-C	18 liters plastic honey pail (America style)		Material:PP Capacity:18 liters Dia:300 Height:360 (Not including honey gate)	50	20		
BS01	Bee suit (Cotton round cap)		Size:S, ML, XL, XXL, XXXL, Material:100%Cotton, Color: white, apricot, yellow,	50	25		
HA20L-A	20 liters plastic honey pail (zipper lid)		Material:PP Capacity:20 liters Dia:300 Height:380 (Not including honey gate)	50	20		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BS01-2	Bee suit (Polyester cotton)		Size:S, M, L, XL, XXL, XXXL, Material:Polyester cotton,Color: white, apricot, yellow,	50	30		
HA20L-B	20 liters plastic honey pail with thickened body		Material:PP Capacity:20 liters Dia:300 Height:380 (Not including honey gate)	50	20		
BS01-S	Bee suit(Children)		Size:S, ML, XL, XXL, XXXL, Material:Cotton	50	30		
BS04	Bee suit (wasp)		material: oxford fabric outer layer+ thickened PU inner layer. Stereo mask, with a fan on the mouth, 10 ventilated holes, 3 fans for ventilation without being stuffy. Lengthened zipper + Velcro double-layer protection, easy to put on and take off and avoid the bees getting in.	50	1		
HA20L-C	20 liters plastic honey pail (America style)		Material:PP Capacity:20 liters Dia293 Height:380 (Not including honey gate)	50	20		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP01	Pail opener		Material:PP,Color: Red, yellow,suitable for 3-25L plastic pail	200	230		
BS05	Bee suit		Size:S, ML, XL, XXL, XXXL Material:Cotton Color: white, apricot, yellow	50	20		
BS06	Bee jacket		Size:S, ML, XL, XXL, XXXL, Material:Cotton, Color: white, apricot, yellow	50	25		
HAP02	Honey tank support		Material:SUS201	100	50		
BS07	Bee jacket (Breathable)		Size:S, ML, XL, XXL, XXXL, Material:Cotton & breathable mesh Hat: round or astronaut	50	15		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP02-2	Honey tank support		Material:SUS201	120	40		
HAP02-3	Honey Pail Support		Material: Engineering plastic	100	100		
BS08	Bee suit (Breathable)		Size:S, ML, XL, XXL, XXXL, Material:Cotton & breathable mesh Hat: round or astronaut	50	10		
BS09	Bee suit (Breathable)		Size:S, ML, XL, XXL, XXXL, Material:Cotton & breathable mesh Color: white, green, yellow	50	30		
HAP02-4	Honey tank support		Material:SUS304, Weight: 570g, Size:28x12cm	120	50		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP03	Plastic frame scraper		material: pp size: 33x14x2cm weight: 468g	100	60		
BS09-2	Bee jacket (Breathable)		Size:S, ML, XL, XXL, XXXL Material:Cotton & breathable mesh Color: white, green, yellow	50	30		
HAP04	30CM Honay tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	200	15		
BS10	Bee jacket		Material:polyester & breathable mesh	50	30		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP04-35	35CM Honay tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	200	15		
BS11	Bee jacket		Material: polyester, The hat can be parted, With veil and zipper	50	30		
HAP04-40	40CM Honay tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	200	15		
BS12	Bee jacket		Size: Free size, Material: Polyester, Color: white, pink, blue, camouflage	50	60		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP04-45	45CM Honay tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	200	15		
BS13	Bee jacket		Size:L, XL, XXL, XXXL, Material: Cotton	50	40		
BS14	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm	50	150		
HAP04-50	50CM Honay tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	200	15		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP04-52	52CM Honay tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	200	15		
BS14-2	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm	50	150		
HAP05	Honay tank stand (ø32*35cm)		Diameter 32cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing	100	6		
BS14-3	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm	50	150		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP05-2	Honay tank stand (ø41*35cm)		Diameter 41cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing	100	6		
BS15	American half-length round cap anti-bee suit (polyester flat)		Material:polyester M L XL XXL	50	50		
HAP05-3	Honay tank stand (ø47*35cm)		Diameter 47cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*480mm) Material: 201 T=2.0mm single side wire drawing	100	6		
HAP10-310	European honey Pail Support (50kg)		Material/Construction: Iron, powder coated It can be used with HB-310	100	0		
HAP10-535	European honey Pail Support (250kg)		Material/Construction: Iron, powder coated It can be used with HB-535	100	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP10-640	European honey Pail Support (400kg)		Material/Construction: Iron, powder coated It can be used with HB-640	100	0		
BS16	European round hat bee jacket (with zipper)		Material: 100% cotton, gram weight: 150g, color: white、yellow、green、pink、blue.	50	25		
HAP10-380	European honey Pail Support (100kg)		Material/Construction: Iron, powder coated It can be used with HB-380	100	0		
HAP06	Honey melting blanket		Size:103*31cm Electric:80-220V Average power:160W NW:1.5KG GW:2KG one pc/box HS:6301300000	0	1		
BS16-2	European astronaut hat bee jacket (with zipper)		Material: 100% cotton, gram weight: 150g, color: white、yellow、green、pink、blue.	50	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BS16-3	European astronaut hat bee jacket (camouflage with zipper)		Material: 100% cotton, gram weight: 180g	50	25		
HAP07	Honey Mixer		Total length: 610mm spiral outer diameter 80mm Straight rod diameter: 10mm, spiral diameter 6mm, spiral height 250mm Material: 304 stainless steel	50	20		
HAP07-2	Honey Mixer		Total length: 600mm Material: 304 stainless steel Bar diameter: 10mm Spiral diameter: 100mm The wall thickness of the spiral disk is 1.2mm The position of the two spiral discs can be adjusted, and the inner nut is fixed	50	30		
BS17	European round hat bee jacket (without zipper)		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	50	25		
BS18	European astronaut hat overall beesuit		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	0	20		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP07-3	Honey Mixer		Total length: 500mm Material: 304 stainless steel Bar diameter: 10mm Spiral diameter: 95mm Spiral height 104mm	50	30		
HAP07-M	Electric Mixer		Power: 1800 W all copper, rated voltage: 230 V frequency; 50HZ, speed: 0-1100 RPM/MIN, M14 insert screw coupling	50	4		
BS19	European bee pants		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	50	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HAP08	Honey straining heater		<p>Honey straining heater 550W for ø 32 cm strainers.</p> <p>Does straining honey annoy you too? The heating spiral makes it easy to filter even cold or crystallized honey and it can also be used to liquefy honey as well. You can adjust the temperature between 30 - 85 °C. Since honey is liquified at about 35-40 °C, the heating coil has to be adjusted to a temperature higher than this. Operation at higher temperatures is possible without damaging the honey, because it will leave the system as soon as it is liquified at about 42°C/107.6°F. Especially with crystallized honey it is. We recommend that you adjust the temperatur between 45-50 °C.</p> <p>Technicals details: Voltage: 230V Power 550W Current (A) 2,4</p>	10	10		
HAP09	Silicone heating pad Drum electric heat pad for 5 gallon, 800 W - (860*200mm)		<p>Voltage: European, American and Australian plugs are optional 110V-230V Material: Silicone Weight: 0.9kg Size: 860*200mm Watts: 800 Diameter: 10-3/8in (263mm) Fit: 5 gallon drum</p>	0	20		
HAP09-2	Silicone heating pad Drum electric heat pad for 55 gallon, 1200 W - (1740*125mm)		<p>Voltage: European, American and Australian plugs are optional 110V-230V Material: Silicone Weight: 0.96kg Size: 1740*125mm Watts: 1200 Diameter: 21-3/4in (554mm) Fit: 55 gallon drum</p>	0	10		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HB100-A	100kg honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume: 78L, Bucket body thickness:0.8MM, Diameter:45cm, Height:50cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	5		
HB100-B	100kg honey pail with hot insulation cover (Plastic honey gate)		Material:SUS201,Honey volume: 78L, Bucket body thickness:0.8MM Diameter45cm, Height:50cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HB100-C	100kg honey pail with flat cover (304 stainless steel honey gate)		Material:SUS201,Honey volume: 78L, Bucket body thickness:0.8MM, Diameter:45cm, Height:50cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HB150-A	150kg honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume:114L, Bucket body thickness:0.8MM, Diameter:50cm, Height:60cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	3		
HB150-B	150kg honey pail with hot insulation cover (Plastic honey gate)		Material:SUS201,Honey volume: 114L, Bucket body thickness:0.8MM Diameter50cm, Height:58cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HB150-C	150kg honey pail with flat cover (304 stainless steel honey gate)		Material:SUS201,Honey volume:114L,Bucket body thickness:0.8MM,Diameter:50cm,Height:58cm Processing technology:Seamless welding &polishing, (welding 304 stainless steel honey gate)	20	1		
HB20-A	20KG honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume: 15L,Bucket body thickness:0.8MM,Diameter:25cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HB200-A	200kg honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume: 154L,Bucket body thickness:0.8MM,Diameter:60cm,Height:60cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	3		
HB200-C	200kg honey pail with flat cover (304 stainless steel honey gate)		Material:SUS201,Honey volume: 154L,Bucket body thickness:0.8MM,Diameter:60cm,Height:55cm Processing technology:Seamless welding &polishing, (welding 304 stainless steel honey gate)	20	1		
HB25-A	25KG honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume: 20L,Bucket body thickness:0.8MM,Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	12		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HB25-B	25kg honey pail with hot insulation cover (Plastic honey gate)		Material:SUS201,Honey volume:20L,Bucket body thickness:0.8MM Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HB25-C	25kg honey pail with flat cover (304 stainless steel honey gate)		Material:SUS201,Honey volume:20L,Bucket body thickness:0.8MM Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HB50-A	50KG honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume: 38L,Bucket body thickness:0.8MM, Diameter:35cm, Height:40cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	8		
HB50-B	50kg honey pail with hot insulation cover (Plastic honey gate)		Material:SUS201,Honey volume: 38L,Bucket body thickness:0.8MM Diameter:35cm, Height:40cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HB50-C	50kg honey pail with flat cover (304 Stainless Steel honey gate)		Material:SUS201,Honey volume: 38L,Bucket body thickness:0.8MM, Diameter:35cm, Height:40cm Processing technology:Seamless welding &polishing, (welding 304 stainless steel honey gate)	20	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HB75-A	75KG honey pail with flat cover (Plastic honey gate)		Material:SUS201,Honey volume: 56L, Bucket body thickness:0.8MM, Diameter:40cm, Height:45cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	6		
HB75-B	75kg honey pail with hot insulation cover (Plastic honey gate)		Material:SUS201,Honey volume: 56L, Bucket body thickness:0.8MM Diameter40cm, Height:45cm Processing technology:Seamless welding &polishing, (Not including honey gate)	20	1		
HAP11-640	EU honey tank stainless steel strainer (400KG)		Material: SS304, outer diameter: 63cm, inner diameter: 61.5cm, height: 15cm. Suitable for 400KG honey tank (HB640).	0	0		
HAP11-310	EU honey tank stainless steel strainer (50KG)		Material: SS304, outer diameter: 31cm, inner diameter: 30cm, height: 15cm. Suitable for 50KG honey tank (HB310).	0	0		
HAP11-535	EU honey tank stainless steel strainer (250KG)		Material: SS304, outer diameter: 52.5cm, inner diameter: 51.5cm, height: 15cm. Suitable for 250KG honey tank (HB-535).	0	0		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HB-640	European honey Pail, Sloping bottom (400kg)		Material: SS304, Size: 640*950mm Honey valve diameter: 50mm, honey capacity: 400kg, bottom: inclined bottom, configuration: lid, lid handle, pail handle. It can be used with the specific strainer for pure honey.	20	1		
HAP11-380	EU honey tank stainless steel strainer(100KG)		Material: SS304, outer diameter: 38cm, inner diameter: 37cm, height: 15cm. Suitable for 100KG honey tank(HB-380).	0	0		
HB-535	European honey Pail, Sloping bottom (250kg)		Material: SS304, size: 535*855mm Honey valve diameter: 50mm, honey capacity: 250kg Bottom: sloping bottom, configuration: lid, lid handle, pail handle It can be used with the specific strainer for pure honey.	20	1		
HB75-C	75kg honey pail with flat cover(304 stainless steel honey gate)		Material:SUS201,Honey volume: 56L,Bucket body thickness:0.8MM,Diameter:40cm,Height:45cm Processing technology:Seamless welding &polishing,(welding 304 stainless steel honey gate)	20	1		
HB-310	European honey Pail, Sloping bottom (50kg)		Material: SS304, size: 310*525mm Honey valve diameter: 50mm, honey capacity: 50kg Bottom: sloping bottom Configuration: lid, lid handle, pail handle It can be used with the specific strainer for pure honey.	20	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HB-380	European honey Pail, Sloping bottom (100kg)		Material: SS304 Size: 380*680mm Honey valve diameter: 50mm, honey capacity: 100kg. Bottom: sloping bottom, configuration: lid, lid handle, pail handle It can be used with the specific strainer for pure honey.	20	1		
HC50-201	50L Honey pail with filter		Material:SUS201,Honey volume: 50L,Product size: 37*47cm(Default with plastic gate)	20	1		
HC70-201	70L Honey pail with filter		Material:SUS201,Honey volume: 70L,Product size: 37*65cm(Default with plastic gate)	20	1		
HD90	Decrystalization honey tank		Material:SUS201 Capacity:90L Remark:It melts the wax by heating water round the bucket(double-layer bucket) and also with the heating plate on the bottom about 125kg honey diameter * height: 45*57cm, Power 1500w	10	1		
HD70	Decrystalization honey tank		Diameter * height: 45*45cm, actual capacity: about 70L, about 100kg honey, The highest temperature is 100°C Material:SUS201 Capacity:70L Remark:It melts the wax by heating water round the bucket(double-layer bucket) and also with the heating plate on the bottom	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HQ01	Stainless steel bucket		Capacity: 4L 8L 10L 12L 16L 20L for optional.	0	40		
TW70-A	Thermo regulated decrystallization honey tank		Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate 1800W	10	1		
BH01	Bee hat		Size:Free size	100	50		
BH01-2	Bee hat		Size:Free size	100	50		
BH02	Bee hat		Size:Free size Material:Cotton Color: white, yellow, camouflage	100	50		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BH03	Bee hat		Size:Free size Material:Cotton white, yellow, camouflage Color:	100	50		
BH04	Bee hat (5 colours)		Material:straw plaited, colour:Brown, green, white, off-white, beige	60	50		
BH04-2	Bee hat (3 colours)		Material:PP, colour:Brown, khaki, green	60	50		
BH05	Square veil without helmet		Material:50% cotton & 50% synthetic blend cloth	100	100		
BH06	Square veil		Material:cotton &Nylon veil	100	70		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BH07	Square veil		Material:cotton &Nylon veil	100	80		
BH08	Bee hat		Size:Free size Material:Cotton	100	200		
BH08-2	Camouflage double layer bee hat		Hat circumference size: 55-58cm, hat brim length: 9cm. Fabric: Taslan.	100	200		
BH09	Bee hat		Size:Free size Material:Polyester	100	250		
BH10	Bee hat		"Size:Free size Material:Cotton"	100	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BH11	Bee hat		"Size:Free size Material:Cotton"	100	200		
QC01	Queen cages		Plastic queen cage(The larva not longer need to be transferred)	1000	2000		
QC01-2	cap feeder for queen cage		material:PP 500pcs / package	1000	15		
QC02	Queen cages		Plastic queen cage(Extension type) Color: white, yellow	1000	2700		
QC03	Queen cages		Plastic queen cage	1000	1600		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC04	Queen cages		Plastic queen cage size: 8*3.5cm	1000	1600		
QC04-2	EU Yellow queen cage(second -gen)		Size: 8.1*4.5cm, material: PP. Weight: 10g.	1000	1600		
QC05	Queen cages		Plastic queen cage size: 9.5*4.1*1.5	1000	1000		
QC06	Marking cages		Material:PS&PP Weight:60g, Color: red, blue, white	300	600		
QC07	Marking cages		Material: PP	300	576		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC08	Marking cages		Length: 70mm Width: 45mm Weight: 32g Material: plastic	300	535		
QC09	Marking cages		Queen marker	300	170		
QC09-2	Marking cages		Queen marker, Material: Glass tube	300	170		
QC11	Marking cages		55*45*90MM 67g	200	200		
QC12	Queen catcher (PC)		Material:PC	1000	1200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC13	Queen catcher (Iron)		Material:Iron	720	630		
QC14	Queen catcher (Stainless)		Material:SUS201 size: 7*5cm	720	600		
QC15	Queen cages		Bamboo queen bee cage	800	800		
QC16	Queen cages		Bamboo queen bee cage	1000	2000		
QC17	Queen catcher		Height:40mm Needle dia:1mm Weight:24g Material:SUS304&Plastic colour:yellow, white	600	600		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC18	Queen catcher		Material:PP	500	1000		
QC19	Marking cages		Material:PP	1000	5000		
QC20	Queen rearing cages		Material:PP	1000	2000		
QC21	Queen rearing cages (500PCS/BAG)		Material:Plastic(500PCS/BAG)	5	20		
QC21-2	Queen rearing cages (250PCS/BAG)		Material:Plastic(250PCS/BAG)	10	20		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC23	Queen catcher		Material: PP Size: 10.8*6.7*2.5cm	1000	500		
QC24	Queen catcher		Weight: 37g Material: PP	1000	250		
QC25	Queen catcher		Material: ABS	500	500		
QC26	Queen catcher		Length: 7.2CM Width:5.1CM Height:2.2CM Space distance:4.0CM	500	500		
QC27	Wasp trap		Material:PP	100	24		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC28	Wasp trap		Diameter: 225mm Height: 150mm Weight: 316g Material: plastic	100	40		
QC29	Wasp trap		Material: PP	100	48		
QC30	Wasp trap		Material: PP Each pc packed in box seperately	100	48		
QC31	Wasp trap		Material: PP	100	45		
QC32	Wasp trap		Material: PP	100	25		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC33	Swarm catcher		Material: polyester-mixed cotton	100	100		
QC34	Swarm catcher		Material: polyester-mixed cotton Bee net: CTN:52*45*27cm GW:12.5kg 100PCS/CTN Handle: CTN:1.5m GW:17.5kg 50PCS/CTN	50	50		
QC35	Queen cages		Weight: 38g Material: PP Size: 70*87mm	1000	600		
QC36	Bee collecting cage		Material:Bamboo, Diameter 24cm, height 21cm	1000	30		
QC36-2	Bee collecting cage		Material:Bamboo, Diameter 25cm, inner depth 26.5cm, handle length 10cm	1000	3		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC37	Queen control box (1FRAME)		Material:ABS Product size: 485*50*240mm Aperture: 3.9mm	100	25		
QC37-2	Queen control box (2FRAME)		Material:ABS Product size: 485*90*240mm Aperture: 3.9mm	100	25		
QC37-3	Queen control box (1 FRAME)		Size:48.5x5x24cm, Weight:1.2kg, Material:galvanized iron	100	25		
QC39	Queen catcher		14.8*13*1.1cm weight:40g material: ABS	1000	200		
QC40	Queen catcher		Size: 13.5x10.5x1.5cm Material: PP Weight: 20g Can be fixed on the honeycomb quickly and save time to catch the queen bee. Simple structure, efficient use. Control egg-laying.	1000	300		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC41	Wasp trap for plastic bottle		Diameter: 1cm How to use: Use a knife to cut a cross on two-thirds part of the plastic bottle. Install the trap to the cross part. This is the foot of the wasp. Remove the bottle cap, make a small hole on it, and hang a lure in the bottle. Hang the traps near the apiary Convenient and efficient trap tool	1000	2000		
QC42	Swarm catcher (Euro)		Material: polyester-mixed cotton Weight: 640g	100	20		
QC42-3	Telescopic stainless steel handle: 40-150cm		Stainless steel catcher shortened by 40 cm, pole length 150 cm, Net diameter 28 cm, Aperture: 2 mm, Net depth 50 cm	100	100		
QC43	Marking cages		Weight: 5g Material: PP Size: 20*61mm	0	1500		
QC44	JZB queen bee protection box		size: 21x6x7.5cm, weight: 100g	200	60		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC44-2	JZBZ queen bee protection box		Material:PP 20pcs Queen cages+1pcs JZBZ queen bee protection box	200	60		
QC45	Marking cages		Material: PP Size:7.2*4*2.3	300	576		
QC46	Skep straw hive (3PCS)		Material: haulm Size (medium and large)diameter x height 38x38cm 32x34cm 25x35cm Knitted by hand, measurement error of 2-5cm is allowed.	100	1		
QC49	Queen catcher		Material:PP	0	200		
QC50	Queen catcher		Material: composite plate +201 stainless steel product size : 8.9*6.1*1cm	0	800		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC51	Queen catcher		Material:PP+ABS Grip size:11*2.5cm Dome diameter:6cm weight: 20g	0	500		
QC52	Queen catcher		Material:SUS304+ Product size: H37*Φ50mm Weight: 27g	0	500		
QC53	Wooden Queen cage		Total length: 13.5cm Weight: 53g It has holes on both sides and is equipped with a entrance. The two holes in the middle are fixed with steel mesh. Material: wood.	500	0		
QC53-2	Queen cage (wooden)		Total length: 13.5cm Weight: 64g, attached with entrance, the middle round hole is fixed with steel mesh, material: wood.	500	0		
QC54	Queen catcher		weight: 291g, Product length, width and height; 13.5x10.5x1.5cm Material: PP Advantage: It can be quickly inserted into the honeycomb to trap the queen bee, saving manual catching time, simple structure and efficient Use it to trap the queen bee within the range of the queen control cover to avoid laying eggs.	1000	250		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QC55	Wasp trap(PP)		Diameter 10.5cm, height 14.8cm, weight: 41g, material: PP. Black cap, yellow bottle body, two inlets.	100	24		
QC57	Multifunctional queen cage (steel mesh)		Size: 7*3.8*2.5cm, Weight: 18g. The front white panel and the black accessories on the side can be opened.	1000	0		
QC58	Multifunctional queen cage(New)		Size: 7*3.8*2.5cm, Weight: 17g. The front white panel and the black accessories on the side can be opened.	1000	0		
QB01	Grafting tool (Aluminium)		Length:170mm Handle:127mm Needle dia:2mm Weight:18g Material:Aluminium&SUS304	500	1000		
QB01-2	Grafting tool (Stainless steel)		Length:190mm Needle dia:3mm Weight:7g Material:SUS304	500	3000		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB01-3	Grafiting tool (Stainless steel European style)		Length:190mm Needle dia:4mm Weight:10g Material:SUS304	500	2000		
QB01-4	Grafiting tool (Plastic)		Material:PP&Ox horn	500	11500		
QB01-5	Grafiting tool (Plastic)		Material:Bamboo&Qx horn	500	11500		
QB01-6	Grafiting tool (Plastic) 2PCS /BOX		Specification: 2 pcs/box Box size: 11.8x3.9x1cm Weight:12.5g Material:Bamboo&Shofar	500	200		
QB01-7	Grafiting tool (Plastic)		Weight: 6g length:13.5cm Material: pp 40pcs/bag	500	5000		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB01-8	Grafiting tool (Stainless steel European style)		Length:190mm Needle dia:4mm Weight:10g Material:SUS304	200	3000		
QB01-9	Grafiting tool (fit for both right and left hands, tip 0.5mm)		tip diameter:0.5mm Weight:35g Material:SUS420	200	500		
QB02	Head band magnifier		Magnification times:1.2X , 1.8X , 2.5X , 3.5X. Material:ABS & organic glass Battery: 2×AAA (1.5V)	24	24		
QB02-2	Head band magnifier (not included)		Magnification times:1.2X , 1.8X , 2.5X , 3.5X. , Material:ABS & organic glass, Battery: 2×AAA (1.5V)	24	36		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB02-3	Desktop magnifying(not included)		Size: 20.0 * 5.0 * 20.0 cm Product material: metal, plastic, acrylic lens Package: PP bag, foam, giftbox Packing information: 24 / box, 51.5 * 48 * 42CM, 22 / 20KG Magnification: 2X (large lens), 5X (small lens) Effective diameter: 130mm (large lens), 22mm (small lens) (mm) Material Plastic, metal, acrylic	0	24		
QB02-4	Head band magnifier(not included)		Magnification times:1.2X ,1.8X ,2.5X ,3.5X.,Material:ABS & organic glass,Battery: 2×AAA (1.5V)	24	24		
QB03	Grafting support		Material:SUS201	20	10		
QB04	Queen rearing box		Material:ABS, Surface Treatment: polished Weight:155g Size: 15*13*4cm	200	128		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB04-10	Queen cell (1000PCS/BAG)		Material:P, 1000cell/bag	10	70		
QB04-12	Queen rearing box		1 breeding comb 1 insertion aid 20 roller cage 50 smooth cell support 50 ribbed cell support 115 queen cells 115 insert cells	0	80		
QB04-13	Single row royal jelly bar (33 holes)		Material:pp	100	1000		
QB04-14	Single row royal jelly bar (63 holes)		Material:pp	100	1000		
QB04-15	Complete Queen Rearing Kit		80PCS/CTN	0	0		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB04-16	Queen rearing box		Weight: 133g Size: 12*4*12cm Material: PP.	200	55		
QB04-2	Queen cell (1000PCS/BAG)		Material:PP, (1000PCS/BAG)	10	60		
QB04-3	Queen cell cup (1000PCS/BAG)		Material:PP ,Match with Item , (1000PCS/BAG), Matching with Item No. QB04-4	10	15		
QB04-4	Plastic frame spacer		Material:PP, Matching with Item No. QB04-3	1000	700		
QB04-5	Queen cell cup (1000PCS/BAG)		Material:PP (1000PCS/BAG)	10	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB04-6	JZ BZ base mount (1000pcs/bag)		Height: 16.7mm Width: 19mm Weight: 1.2g Material: plastic	10	12		
QB04-7	JZ BZ base mount cell cups (1000pcs/bag)		Height: 16mm Width: 12mm Weight: 0.9g Material: Plastic Color: black, yellow, blue, orange, green. The default color is yellow, other colors start at 50000	10	16		
QB04-7B	Queen cell bar		"Material:pp Weight:30g"	0	1000		
QB04-7C	JZBZ Plastic Royal Jelly Frame		"JZBZ Plastic Royal Jelly Frame Material: PP Product size: 23*4.6 cm Product weight: 31g	0	560		
QB04-8	Push-In Cell Cups (1000pcs/bag)		Height: 12mm Width: 14mm Weight: 0.35g Material: plastic	10	20		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB04-9	Holder for queen cell		Material:pp	100	3000		
QB05	Birth control tweezer		Material:PP	1000	1000		
QB06	Mellifera queen breeding equipment		Material: pp Queen rearing kit include: 4 pcs Larva Rearing Frame, 60 pcs Royal Jelly Cup Sheets, 120 pcs Larva Rearing Cell Sheets , 10 pcs Royal Jelly Frame, 2 pcs Frame Cage	10	1		
QB06-2	Mellifera royal jelly frame		Material: pp	20	20		
QB06-3	Impregnated Mellifera larva breeding frame		Material: pp frame	20	20		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB06-4	Mellifera adjustable bottom row		Material: pp	1000	2000		
QB06-5	Mellifera queen cage		Material: pp	20	20		
QB06-6	Mellifera impregnation queen stripe		Material: pp	20	2000		
QB07	Marking pen (1 PCS)		Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White	50	1000		
QB08	Queen marking pen (1 PCS)		Non-toxic, tasteless, quick-drying, no harm to bees, neutral packaging, Color:Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White	50	400		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB09	Marking pen (1 PCS)		Non-toxic, tasteless, quick-drying, no harm to bees, neutral packaging, Color:Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White	50	1000		
QB38	Cell cup silicone mould		new environmental silicone, non-toxic and environmental, with a temperature resistance of 40 to 230°C. Size:10x5x1.4cm, weight: 80g, MOQ:200pcs	200	200		
QB38-2	Cell cup silicone mould		new environmental silicone, non-toxic and environmental, with a temperature resistance of 40 to 230°C. Size:10x9.5x1.9cm, weight: 80g, MOQ:200pcs	200	130		
QB39	Scissor		Material: Stainless Steel,	0	100		
QB42	queen shipper		Material: PP Product size: 420x35x15mm Weight: 60g	100	520		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QB45	BB Queen incubator		Input voltage: DC 12v Heating temperature: 36 °C Can put Wangtai cup: 54pcs	10	12		
QB43	BB Queen incubator		Input voltage: DC 12v Heating temperature: 36 °C Can put Wangtai cup: 54pcs	10	12		
OT01	Multi-function claw hammer		Multi-function claw hammer	100	80		
OT02	18 function combined knife card		Material:galvanized iron	200	200		
OT03	Sprayer (2L)		Size:320mm*130mm Weight:310g Volume:2000ml Material:PE	100	20		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
OT04	Outdoor beehive burglar monitor		Suitable for 2G cameras: GPRS MMS SMTP SMS. Trigger time:1.0s, 12MPFull HD ; Interval shooting Detection angle; 90 degrees; Lens angle 60° ;36 pieces; 940nm LED light; 2.0 inch display; 8 AA battery, without SD card, Accessories: USB cable x1 lace	10	12		
OT04-2	Outdoor beehive burglar monitor		4G camera; suitable for WCDMA CDMA2000, MMS, SMTP, FTP, SMS, TIMELAPSE, FDD-LTE, TD-LTE;Trigger time:0.5s, 16MP;Full HD ;Interval shooting; Detection angle:120° , GPSLens angle: 90 degrees 24 pieces; 940nm LED light; 2.0 inch display; 8 AA battery; Can transfer full size photos and 5-30s short video; N.W. : 0.32kg	10	12		
OT04-3	Monitor solar power		Output voltage:6 v -9 v Maximum output current:800 ma Solar panel power:0.4 w, Lithium ion polymer battery interior:1500 ma, AC adapter voltage and current:5v和300mA。 White box:170x115x80mm supports x1 Power Adapter x1 Charging Cable x1 Output line x1 Lace x1	10	12		
J31	Honey heating pot		Material:SUS304, Weight:618g, Volume:1.5L Height: 16cm	36	12		
J32	Honey heating pot		Material:SUS304, Size: 10*21*12.5cm	36	60		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT010	Spoons (Wooden)		Material: Beech, Length: 16cm, Other lengths can be customized.	1000	1600		
QT010-2	Spoons (PP)		Material:PP	500	800		
QT010-3	Spoons (SUS304)		Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm	500	200		
QT010-4	Spoons (SUS304)		Length: 205mm weight: 17.5g material:stainless steel	500	500		
QT010-5	Spoons (SUS304)		Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm	500	200		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT010-6	Spoons (SUS304)		Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm	500	200		
QT010-7	Dual-purpose honey stick (silicone wrapped stainless steel)		Material:silicone wrapped stainless steel weight: 93g, specification: 25*2.6cm Customizable colors, minimum order quantity 1000pcs	100	100		
QT41	Honey refractometer tester		Measuring Range: 58-92Brix 38-43 Be° (Baume) 12-27 Water Division: 0.5 Brix 0.5 Be° (Baume) 1 Water Accuracy: ±0.5 Brix ±0.5 Be° (Baume) ±1 Water Automatic Temperature Compensation (ATC) Length : 140mm Weight: 230g	35	50		
QT41-3	Digital honey refractometer (new style)		Brix S01 0.0-90.0% Water S02 38.0-5.0% Be S0333.0-48.0 Refractive Index S04 1.3330-1.5177nD Size: 121*58*25mm	24	24		
QT41-4	Digital honey refractometer		Measuring accuracy: ±0.5°C, automatic temperature compensation: 5°C-40°C measurement response time: 0.3ml power supply: 2xAAA battery battery life 5000 reading size: 145x67x8mm net weight: 185g	25	25		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT45	Hand labeler		Material:PP	500	72		
QT58	Plastic honey spoon		Leghth: 155mm Weight: 4g Material: plastic	2000	2000		
QT60	Honey dispenser jar		Material:Acrylic Capacity:200ml Size:83mm*100mm*150mm	96	60		
QT68	Bee venom acquisition instrument		One single output acquisition controller, one power grid, 3500mah large-capacity lithium battery, 5V2A charger, wooden frame	1	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT69X2-AB	Tool box/tool set box, dual layers	 	A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg	0	1		
QT69X3-ABC	Tool box/tool set box, 3 layers	 	(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg (D) 6 partition The free-moving partition can adjust the size of the grid at will. Screws, nuts, nails, expansion tubes, and various small accessories can be better stored. Size:303x217x73MM Weight: 0.9KG	0	1		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT69X3-ABD	Tool box/tool set box, 3 layers		<p>(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers</p> <p>(B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg</p> <p>(D) 6 partition The free-moving partition can adjust the size of the grid at will. Screws, nuts, nails, expansion tubes, and various small accessories can be better stored. Size:303x217x73MM Weight: 0.9KG</p>	0	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT69X4-ABCD	Tool box/tool set box, 4 layers with cover		<p>(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers</p> <p>(B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg</p> <p>(C) Power adapter 12v electric drill Charging base Hardware box (Included 1/4 Socket*3 6.35*25mm screwdrive head*16 S2 air srewdriver head S2 extended pole Cobalt drill Size: 303X217X102MM Weight: 2KG</p> <p>(D)</p>	0	1		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT69X4-ABCE	Tool box/tool set box, 4 layers with cover		(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg (C) Power adapter 12v electric drill Charging base Hardware box (Included 1/4 Socket*3 6.35*25mm screwdrive head*16 S2 air srewdriver head S2 extended pole Cobalt drill Size: 303X217X102MM Weight: 2KG (E)	0	1		
QT74	Thermo&humidity meter		Specification: temperature measurement range: -50°C -- +70°C Measurement accuracy: +/-1°C Temperature resolution: 0.1°C Humidity measurement range: 10%RH-99%RH Humidity measurement accuracy: +/-5%RH Humidity resolution: 1% Battery: AAA 1.5v Overall dimension: 100*92*23 mm	100	150		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT74-2	Digital thermometer		<p>The product is packed in a white box with no words. Neutral packing</p> <p>I. function overview:</p> <ol style="list-style-type: none"> 1. The LCD display 2. External dimension: 48*28.6*15.2mm (small error in measurement) 3. LCD size :35.7*16.8mm (small error in measurement) 4. Weight: 25g (excluding battery) 5. Humidity display 6. Humidity measurement range is 20% ~ 90% 7. Humidity display resolution 1% 8. Humidity sampling cycle: 10 seconds (1 minute) 9. Accuracy of humidity measurement is $\pm 5\%$ 10. Rated voltage dc1.5v (2 AG13 button batteries) 11. Temperature measurement range -50 to 70 12. Accuracy of temperature measurement ± 1 degree (at room temperature) 	100	250		
QT77	Liquid Propolis Scale Dispenser		12PCS/CNT	0	12		
QT78	Liquid Propolis Scale Dispenser		Dc 12V to AC 110V, voltage 400W and 800W	100	10		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT80	Honey jar linen bag		Material: Linen Product size: 25*9*15cm	0	50		
QT80-2	Honey linen bag		Weight: 140g, material: jute cloth, size: 25*13.5*22cm, LOGO can be customized.	0	50		
QT81	Plastic-coated pushpin		Material: plastic, metal Specification: 10 * 10 mm Packing: 100 PCS/transparent plastic box (68*54*24mm) Weight: about 36g Color: 12 monochrome optional	100	100		
QT90	Floating Bee Ladder		Material: PP, product size: 18x7x1.2cm, product weight: 12g, OPP packaging	0	400		
QT89	Beeswax cube silicone mold (five grids)		Material: Silicone, outer diameter: 18.6×9.8×2.3cm, single inner size: 8.1×2.8×2cm, single weight: 288g.	0	50		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
QT85	Beeswax cube silicone mold		Wax block size/weight made out of this mold: 14.2*8.4*4.6 cm /500g Beeswax cube silicone mold size of product: 19.5*16.5 *5 cm Material: Silicone	0	20		
QT87	Honey color photometer		HI96785 Honey color photometer Measurement range: 0-150 mm Pfund(Bufonte) resolution 1mm Pfund(Bufonte) accuracy @25°C (77° F) ±2mm Pfundao 80mm Pfund Optical system: narrow band interference filter, silicon photocell, tungsten lamp @ 420 nm, 525nm Method standard: direct colorimetric method Power mode: 1x9V battery Automatic shutdown: In measurement mode, automatic shutdown after 10 minutes of measurement mode, or in calibration mode, after one hour of no use Applicable environment: 0-50 °C (32 to 122°F); RH-max95%(no condensation) Size Weight: Host size: 192x104x69 mm (7.6x4.1x2.7"), host weight: 320g(11.3oz.)	25	25		
QT88	Manual nail gun		Product size:18*12.5*8CM Single product weight: 0.5KG, nail length: 4-6-8 (mm), nail shoulder width: 25mm. Fixed lines, box binding, advertising installation, etc.	25	60		
PC01	Oxalic acid heater		handle: wooden ,materal: stainless steel & aluminum voltage:12 v, temperature : 160° - 190°	25	30		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC02	Formic acid dispenser		Material:pp+Plastic, size: 220*220mm	100	60		
PC04	Smoke mite eliminating machine		Weight:3.9KG	10	1		
PC05	Acarid fumigator		Material:SUS304, cylinder diameter 7cm, wall thickness 0.6mm, height 15cm, lid diameter 7.5cm.	300	60		
PC06	Black beetle trap		Material:PP ,Size: 22.5cm,weight: 9g	500	800		
PC07	Plastic beetle trap		Material:PP ,Size: 17.5cm,weight: 14g	300	1400		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC08	Beetle trap box		material: pp, size: 9.3x7.70.8cm ,weight: 18g	500	500		
PC09	Oxalic acid heater		voltage: 12V	200	50		
PC09-2	BB Oxalic acid heater(simple version)		voltage: 110/220V Power: 250w Maximum temperature : 220-240℃ 1pc/brown box/51*16*12CM 约1.6kgs	40	10		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC09-3	BB Oxalic acid heater (upgraded)		<p>Connect the vaporizer to 220V/110V power source. It will take approximately 1 minute to reach preset temperature. The red sequence readout will display 280 when ready. In the white lid (recess side up) place the appropriate amount of OA. Invert the vaporizer. Take the white lid containing the OA and push it onto the bowl (be careful the vaporizer bowl is very HOT!) Place the still inverted vaporizer stem (with lid attached) into the drilled hole then turn the vaporizer right side up and tap the lid. The acid will fall into the bowl and start to vaporize. This will take approximately 20 seconds. You need to seal any openings during and 10 minutes after vaporization.</p> <p>voltage: 110V-230v Power: 250w Appearance Patent No. :202030435142.7 Utility Model Patent No. :202120820132.4</p>	40	10		
PC09-4	Oxalic acid Vaporizer		<p>Use insulating sleeves for smoke exhaust vents.</p> <p>The power cord is extended to 2.2 m to connect the equipment by using the battery.</p> <p>The maximum output current is not less than 20A.</p> <p>Working voltage: 12V</p>	40	32		
PC10	Formic acid dispenser		<p>φ: 11.5cm H:2.8cm Material:PP+foam weight:60g</p>	1000	250		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC11	Formic acid dispenser		φ:17cm H:4.5cm Material:PP ,weight: 160g	1000	100		
PC12	Formic acid dispenser		Material:PP Size:255*255mm	500	70		
PC13	Mite smoker		Standard configuration: 2 AA batteries (battery not included in the factory) 1pc/white inner box	100	40		
PC14	Aluminium beetle trap			0	300		
PC15	plastic beetle trap			0	1000		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC16	Varroa Check		Product size: 15*10cm, product weight: 150g, material: PP	56	50		
PC16-2	Apiary mite measuring bottle (CO2)		1. CO2 anaesthesia detection device for detecting mites in hives without harming bees 2. not equipped with CO2 anesthetic cylinder, please consult if you need to match 3. 30cm * 30cm * 30cm	0	0		
PC17	Smoke mite eliminating machine			0	1		
PC17-2	Smoke mite eliminating machine		1. Unscrew the metal connector from the pump (you don't need to follow this step if the connector is already installed on the white liquid tank). 2. Turn over the connector, and place the fine parts filter into the slot. 3. Turn over the fogger and insert the connector to the pump. (It is better to insert the filter in this position, to prevent filter from falling out) 4. Screw the connector with the filter into the pump. Now it is ready for use.	10	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC18	Stainless steel varroa fumigato		voltage: 12V	200	20		
PC19	Varroa Easy Check		Product diameter: 10.5cm, height: 19cm, weight: 290g,	56	50		
PC21	Propane burning oxalic acid atomizer		Through the method of oxalic acid sublimation fumigating beehive fullness, with the evaporation of oxalic acid, killing beehive bee mites, the most effective tool to treat Varroa mites. Productivity: 100 swarms killed every 25 minutes. Volume after packing: 35CM*12CM*25CM Weight after packing: 1.48KG	40	10		
PC22	Hand-held propane burning oxalic acid atomizer		Rapid elimination of mites Productivity: 100 swarms killed every 25 minutes. Volume after packing: 46CM*11CM*15CM Weight after packing: 1.26KG Note: For transportation safety reasons, the accessories do not include air valves, air hose and gas cylinders, but you can purchase such accessories at your local supermarket or outdoor camping store.	40	10		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
PC23	Lithium electric oxalic acid atomizer		<p>The amount of solid oxalic acid plus hydrate used per treatment should be between 0.8 g and 2.4 g.</p> <p>Simple operation, no further training required.</p> <p>The complete set of main accessories are:</p> <p>1: One atomizing machine. 2: 4 oxalic acid crucible. 3: 2 lithium batteries. 4: 1 home charger, input: 100-240v AC 0.6A; Output :21v DC 1a. 5: 1 set of car charger. 6: 5 language instructions: German, French, English, Russian, Spanish.</p>	40	0		
PC25	Oxalic Acid Dosage Syringe for Beekeeping		<p>Single product weight: 120g, capacity 1000ml, size: 9*9*36cm,</p>	1000	0		
PC24	Formic acid mite dispenser		<p>Product weight: 47g, capacity: 200ML, size: 19.5*7.7*2.5cm, material: PP, maximum length: 21.58cm.</p>	1000	0		
PC28	Self priming filter gas mask		<p>size :16.5cm * 11.2cm * 13cm weight : 547g</p>	0	32		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM22	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100	200		
BM22-1	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100	200		
BM22-2	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100	200		
BM22-3	Bee mite killer (Flumethrin strip)		Weight: 55g 20 strips/bag	100	200		
BM22-4	Bee mite killer		Weight: 52g	100	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM25-1	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.	100	200		
BM25-2	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.	100	200		
BM26	Prosperous mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 60mg *20 strips/bag	100	200		
BM41	Amitraz aerosol (Zhenxing)		550ml	100	30		
BM42	Formic acid aerosol (Zhenxing)		550ml	100	30		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM43	Varroa mite-killer (10pcs)		Active Ingredient : Fluvalinate40-50mg strip	100	100		
BM43-2	Varroa mite-killer (20pcs)		Active Ingredient : Fluvalinate40-50mg strip	100	100		
BM45	Fluvalinate Strips Specification: 10 strips		Active Ingredient : Fluvalinate40-50mg strip	100	500		
BM45-2	Fluvalinate Strips Specification: 20 strips		Active Ingredient : Fluvalinate40-50mg strip	100	500		
BM46	Fluvalinate Strips Specification: 10 strips/bag		Active Ingredient : Fluvalinate40-50mg strip	100	500		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM46-2	Fluvalinate Strips Specification: 20 strips/bag		Active Ingredient : Fluvalinate40-50mg strip	100	400		
BM47	MANPULIKE Main Ingredient: TaufluvalinateSpecification: 10 strips/bag		Active Ingredient : Fluvalinate40-50mg strip	100	500		
BM47-2	MANPULIKE Main Ingredient: TaufluvalinateSpecification: 20 strips/bag		Active Ingredient : Fluvalinate40-50mg strip	100	400		
BM48	Manjing - Flumethrin Strips Specification: 10 strips/bag		Flumethrin 3.6mg/strip	100	500		
BM48-2	Manjing - Flumethrin Strips Specification: 20 strips/bag		Flumethrin 3.6mg/strip	100	400		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM49	Mavrilk - Fluvalinate Strips Specification: 20 strips/bag		Fluvalinate 50mg/strip	100	400		
BM50	Manhao pro-Fluvalinate Strips Specification: 40*2 strips/bag		Fluvalinate 50mg/strip	100	300		
BM51	Man Jie - Formic Acid Aerosol		Formic Acid	112	56		
BM52	Miticide - Amitraz Solution Aerosol		Amitraz	112	56		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM53	Bee liquid (100ml)		<p>instructions for the Use of Magic Bee-hiring Water JINHAINA</p> <p>This product is refined from more than 20 precious Chinese medicines mixed with quee bee pheromone. It can send out strong information to lure bees within 1 kilometer into your hive. This product is an adjuvant drug to induce bees. It is based on the traditional method of bee harvesting to provide the product with the success rate of bee harvesting. It requires that the bee trapper must have mature experience of bee harvesting and control the environment of bee harvesting. Temperature, water source, wind direction, season and region all determine the success rate of bee harvesting.</p> <p>【Method of Use】1. Dry the beehives and bee barrels that are ready to spray bee water. Inside, place an old spleen with honey water, and clean up the interior. It must be u old beehives.</p> <p>2. Spray the mixture of honey and pollen on the wall of the beehive and the spleen of the nest. Spray the beeswax on the wall of the beehive, then spray the beeswax into the beehive. Spray a little more near the inner surface of the door of the nest.</p> <p>3. Spray bee water about 20 ml per box. Each bottle can be used to trap 5 hives of bees.</p>	112	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BM54	Bee trap lure (30ml)	 <p>The image shows the packaging for 'Benefitbee Bee trap lure'. It includes a box and a 30ml bottle. A diagram titled 'AVAILABLE POSITION' shows the product being applied to a mud hole, crevice, bush, and broadleaf tree. The text above the diagram says 'Increases chance of attracting bees'.</p>	<p>Product size: 10.4cm * 3.1cm * 3.1cm Specifications: 30ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher. The product can only increase the success rate of bee trapping, it does not mean that the product can be 100% successful in trapping bees.</p>	100	300		
BM55	Bee bait (60ml)	 <p>The image shows the packaging for 'Benefitbee Bee bait'. It includes a box and a 60ml tube. A diagram titled 'AVAILABLE POSITION' shows the product being applied to a mud hole, crevice, bush, and broadleaf tree. The text above the diagram says 'Increases chance of attracting bees'.</p>	<p>Product size: 14cm * 5.5cm * 3.5cm Specifications: 60ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher. The product can only increase the success rate of bee trapping, it does not mean that the product can be 100% successful in trapping bees.</p>	100	230		
BW01	Beeswax grade A	 <p>The image shows a rectangular block of orange-colored beeswax.</p>	Pure beeswax content: 30%	500	25		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BW02	Beeswax grade B		Pure beeswax content: 50%	500	25		
BW03	Beeswax grade B		Pure beeswax content: 80%	500	25		
BW04	Beeswax grade C		Pure beeswax content: 100%	500	25		
BW05	Pure beeswax		Pure beeswax	500	25		
TW70-B	Thermo regulated decrystallization honey tank(304 stainless steel honey gate)		Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate 1500W	10	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HG01	Honey gate		Thread outer diameter :45mm (For honey extractor hole), Material:ABS (White/Orange/Yellow/Green/Red)	200	200		
HG02	Honey gate (Yellow)		Thread outer diameter :45mm (For honey extractor hole) Material:Nylon	200	200		
HG03	Honey gate (White)		Thread outer diameter :48mm (For honey extractor hole), Material:Nylon	200	200		
HG04	Honey gate (European style)		Thread outer diameter :44mm (For honey extractor hole), Material:PP	1000	200		
HG05	Honey gate (European style Plastic white)		Thread outer diameter :48mm Material:PP	100	100		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HG06	Honey gate(Stainless)	 	Thread outer diameter :45mm (For honey extractor hole),Material:SUS304,Weight:487g	100	50		
HG07	Honey gate(Stainless)	 	Thread outer diameter :45mm (For honey extractor hole),Material:SUS304,Weight:487g	200	30		
HG08	Honey gate(European style nylon)	 	Φ: 45cm,Material:Nylon	500	160		
HG09	Honey gate(Push type)	 	Material: ABS,diameter: 48mm,weight: 290g	1000	50		
HG10	Honey gate	 	material: polyvinyl formate outer diameter:58cm inner diameter:46cm weight:209g	100	200		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
HG11	Honey gate (European style Stainless steel)		material: SUS304, diameter:48cm weight:408g	100	30		
HG12	Honey gate (304)		A solid, stainless steel, self closing, no-drip valve, threads. Rising plunger valve. Will fit tanks with 1' male thread outlet directly with no adapters. 1. Installation method: G3/4 internal thread connection 2. Stop time: 1-2S 3. Filling speed: 1 L/min 4. Applicable materials: liquid, paste (without particulate matter) 5. Dimensions: 269*87*146 mm 6. Outer package size: 312*103*66 mm 7. Equipment weight: 950g 8. Packing type: carton	100	2		
HG13	Honey gate (White ABS)		Size (large): 14.5*8*7cm, inner diameter: 5cm, hole diameter: 5.6cm, weight: 124g, Size (small): 13*6.6*5.8cm, inner diameter: 4cm, hole diameter: 4.5 cm, weight: 93g, Material: high quality ABS	100	0		
HG14	Honey gate (Stainless)		Material: 304 stainless steel, Outer diameter: 47mm, inner diameter: 43mm, weight 309g	100	50		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
G-42	Crooked bear glass bottle		Product size: 9.2*11.5*5.8cm, 300ML, diameter 8.5, height 11.7, single product weight: 314g. outer diameter is 6.2CM. Material: quartz sand, sodium carbonate, limestone and other natural minerals as the main raw materials.	0	36		
G02-6	Honey jar (250ml)		Material: soda-lime glass, weight: 132g, capacity: 250ml, Size: width 65mm, height 94mm, shape: round.	0	120		
G02-7	glass bottle (pudding cork)		Material: soda-lime glass, weight: 115.8g, capacity: 100ml, Size: width 56mm, height 65.8mm, bottle mouth diameter: 51.6mm, appearance : Square.	0	140		
G09-1	honey glass bottle (180ml)		Diameter 5.2cm height 8.5cm side 6.2cm	0	120		
G09-2	honey glass bottle (380ml)		Diameter 6.5cm height 10cm side 8cm	0	72		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
G09-3	honey glass bottle(730ml)		Diameter7.5cm height 12cm side 10cm	0	45		
G12-2	Boston Round Dropper bottle with plastic cap		Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	0	765		
G12-3	Propolis bottle with plastic cap		Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	0	765		
G12-4	Spray bottle		Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	0	765		
G12-5	Cosmetics Packing Jars		Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	0	288		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
G13	honey glass bottle(380ml)	 	Caliber: 69.5mm Height: 104mm Weight: 200g	0	12		
G14	honey glass bottle(770ml)	 	Caliber: 80mm height: 137mm product weight: 350g	0	12		
G19-1-M001971	honey glass bottle(237g)	 	M001971 237g 140*85*57.5mm	0	0		
G19-2-M011311	honey glass bottle(325g)	 	M011311 325g 167*100*67.5mm	0	0		
G19-3-M011341GC	honey glass bottle(223g)	 	M011341GC 223g 141*84*53mm	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
G19-4-M001981	honey glass bottle(378g)	 	m001981 378g 176*107.5*65	0	0		
G19-4-MOM001951	honey glass bottle(136g)	 	M001951 136g 115*48*68mm	0	0		
GP06	Soda lime glass bottle(short)	 	Soda lime glass, diameter:5.5cm, height: 5.2cm. Content: 60ml. weight: 106g.	0	120		
GP07	Soda lime glass bottle(high)	 	Soda lime glass, diameter: 6.2cm, height: 8.1cm. Content: 150ml. weight: 110g.	0	120		
GP08	candle glass bottle	 	Height: 9CM, diameter: 7.2CM Capacity: 250ML. Matte black, single product weight: 210g.	0	105		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
GP09	Glass bottle (60ml)		Material: soda-lime glass, weight: 65g, capacity: 60ml, product size: width 56mm, height 53mm, shape: hexagonal,	0	216		
GP10	Glass bottle (60ml)		Material: soda-lime glass, weight: 90g, capacity: 60ml, product size: width 55mm, height 73mm, shape: round,	0	162		
ZS01	Stainless steel wax press		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		
ZS01-2	Stainless steel wax press with splash collar		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		
ZS02	Stainless steel wax press		Material :Stainless steel (SUS201), Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ZS02-2	Stainless steel wax press with splash collar		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		
ZS03	Stainless steel wax press (Jack)		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		
ZT01	Iron wax press		Material :Iron Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		
ZT01-2	Iron wax press with splash collar		Material :Iron ,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		
ZT01-B	Iron wax press		Material :Iron,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ZT01-B2	Iron wax press with splash collar		Material :Iron, Diameter of wax press:26.5cm, Height of wax press: 49cm	20	1		
ZT02	Iron wax press		Material :Iron, Diameter of wax press:26.5cm, Height of wax press: 49cm	20	1		
ZT02-2	Iron wax press with splash collar		Material :Iron, Diameter of wax press:26.5cm, Height of wax press: 49cm	20	1		
ZT03	Iron wax press (Jack)		Material :Iron, Diameter of wax press:26.5cm, Height of wax press: 49cm	20	1		
ZT04	Stainless steel wax press		Material :SUS201, Diameter of wax press:26.5cm, Height of wax press: 57cm	20	1		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ZT05	Stainless steel wax press		Material :SUS201 Color: Silver Gross weight: 25 KG Material: 201 stainless steel Capacity: 10L Inner barrel: 33*38cm External tank: 40*40cm Size: 49.5*39.5cm Mesh diameter: 0.6cm	2	1		
ZT06	Wax press (stainless steel mesh 304)		Material: Stainless steel 304, product size: 49*102cm, handle length: 46cm, barrel diameter: 26cm, single product weight: 20kg.	2	1		
FM01	Fully automatic beeswax machine		Roller size: 170*750mm (Stock size 350mm), Power supply:380V/220V Powder:3kw, Speed:3/min, Roller diameter: 200mm, Cooling mode:water cooling, Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm	1	1		
FM01-2	Fully automatic beeswax machine		Roller size: 170*750mm (Stock size 750mm), Power supply:380V/220V Powder:3kw, Speed:3/min, Roller diameter: 200mm, Cooling mode:water cooling, Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm	1	1		
FM02-1	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 195mm, Cylinder diameter: 86mm	1	1		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FM02-1D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 195mm, Cylinder diameter: 86mm, Power supply :220V Power (kw):0.75kw Speed:40/min	1	1		
FM02-2	Manual beeswax embossing machine		Material: aluminum alloy , Cell size:5.4mm or 4.9mm, Roller length: 250mm , Cylinder diameter: 86mm	1	1		
FM02-2D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 250mm, Cylinder diameter: 86mm, Powersupply:220V Power (kw) :0.75kw, Speed:40/min	1	1		
FM02-3	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm	1	1		
FM02-3D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm, Power supply :220V Power (kw) :0.75kw, Speed:40/min	1	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FM02-4D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 450mm, Cylinder diameter: 86mm, Power supply :220V Power (kw) :0.75kw, Speed:40/min	1	1		
FM03-1	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm	1	1		
FM03-2	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 350mm , Cylinder diameter: 86mm	1	1		
FM03-3	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 500mm, Cylinder diameter: 86mm	1	1		
FM03-4	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 350mm, Cylinder diameter: 170mm	1	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FM03-5	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 500mm, Cylinder diameter: 170mm	1	1		
FM03-6	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 450mm, Cylinder diameter: 86mm	1	1		
FM04	Beeswax embossing machine		Material: aluminum alloy, Cell size: 4.9mm for Apis Cerana or 5.4mm for Apis Mellifera, Size: 420mm*220mm, 195mm*395mm, 200mm*350mm, Due to customers measurements	1	1		
FM05-1	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 310mm, Cylinder diameter: 75mm	1	1		
FM05-1D	Electrical beeswax flat sheet machine		Material: stainless steel, Roller length: 310mm, Cylinder diameter: 75mm, Powersupply: 220V, Power (kw) : 0.75kw, Speed: 40/min	1	1		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FM05-2	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm	1	1		
FM05-2D	Electrical beeswax flat sheet machine		Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm, Power (kw): 0.75kw, Speed: 40/min	1	1		
FM05-3	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 500mm, Cylinder diameter: 75mm	1	1		
FM05-3D	Electrical beeswax flat sheet machine		Calender: Drum length: 500mm; Barrel diameter: 75mm; Weight: 45kg Nest base machine: Drum length: 500mm; Barrel diameter: 86mm; Room diameter: 5.1 mm; Weight: 55kg; Voltage: 220V; Motor power: 1500 watts; Total weight: 125kg; Power: 1500 watts	1	1		
FM06	Comb silicone mold		size: 40x22cm, 420x22, 440x300. hole size: 5.4mm blue/red/black/white	50	20		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
FM07	European beeswax embossing machine			30	1		
FM08	Updated Beeswax sheet machine		Size:415x220mm, Material: Silica gel+Aluminun	1	1		
ME01	Insemination equipment			1	1		
ME01-2	Insemination equipment (Anesthesia bottle)		<p>One Artificial Insemination Instrument Of Queen Bee (VE-QBAII-H1.4) : Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000 μL) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee' s Insemination , one Protective Box and an Instruction Manual .</p> <p>One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose</p> <p>One Special Microscope</p> <p>One Luminescent Lamp</p>	1	1		








Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ME01-3	Insemination equipment microscope		<p>One Artificial Insemination Instrument Of Queen Bee (VE-QBAIL-H1.4) : Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000 μL) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee' s Insemination , one Protective Box and an Instruction Manual .</p> <p>One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose</p> <p>One Three-eye Microscope</p> <p>One CCD Electronic Eyepiece</p> <p>One CCD Connector</p> <p>One Displayer</p> <p>One Luminescent Lamp</p>	1	1		
ME03	0.5 ton original flavor reflux concentrator		<p>Size: 80*50*165cm</p> <p>Power: 7KW</p> <p>Material: food contact part SUS304</p>	1	1		
ME03-B	1 ton original flavor reflux concentrator		<p>Size: 80*50*165cm</p> <p>Power: 7KW</p> <p>Material: food contact part SUS304</p>	1	1		
ME16	Pollen dryer		<p>Size: 73*66*147cm</p> <p>Drying Rate: 3-5kg/hour</p> <p>Vacuum pump power: 2KW</p> <p>Capacity: 20kg</p> <p>Dry layer number: 9 layers</p>	1	1		











Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ME18	25kg melting wax bucket		Dimension (L*W*H) : 36*36*64cm Power: 1500W	1	2		
ME20	Automatic spleen-cutter		Size: 156x98x146 CM 200KG	1	1		
ME22	Honey and wax separating machine		Voltage: 220V-380V power: 1.5kw-1.1kw Screw speed 30 revolutions per minute Screw diameter : 100mm Wax Extruding amount: 30kg/hour Size: 1100x450x900	1	1		
ME24	Hand push type honey pumping & shaking machine		Honey extractor can be customized according to customer's requirement. Picture is 4 frames self-turning honey extractor. Manual honey extractor (4 frame) 1540x600x1030mm (LWH) , 78kg, 0.87KW, 220V Manual honey extractor (4 frame self-turning) 1650x800x1120mm (LWH) 100KG, 0.93kw, 220V 50HZ	1	0		
ME26	Frame support with filter tank		Material: Frame & lid: stainless steel 201, other parts SUS304 Size: 94.5x56.5x98.5cm	1	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ME27	Beewax Melter		85x71x30cm 1pcs weight_26.7kg Material:wooden+glass+Stainless Steel (304) 1mm thick	1	1		
ME38	Semi-automatic cutting machine			1	0		
ME40	Handheld branding machine			1	0		
ME41	Pollen dryer			1	1		
ME42	Pouch Packaging machine for Honey		Measuring Scope: 1 - 100 g (3- 100 ml) Bag Size: L: 30-170mm W:30-100mm Packing Speed: 30 - 60 bags/min Dimension(L*W*H): 900*1100*1590mm Weight:400 kg Total Power:220V /50Hz/1.4kw Capacity: 220L	1	1		











Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
ME43	Automatic Honey Spoon Packaging Machine		Power supply voltage (V/Hz): AC 220/50 Heat seal power (W):3300 Sealing speed 1000-1200 cups/hour (depending on the material and filling amount) Filling accuracy < 1g (depending on material) Temperature control range 0-400°C Cover material: PE PP PET/PE Overall dimensions: 1500×1500×1600mm (L×W×H) Net weight (kg):300	1	1		
ME44	Beehive Frame Making Machine		Product name: Beehive Frame Making Machine Voltage: Single phase 220V 50Hz Power: 1.1kw Suitable for: Langstroth beehive frame Accessories: 5 knives, 1 drill Overall size: 59*35*31cm Weight :30KG	1	1		
ME45	Electric honey pump		Power: 2000W auger pump, high temperature resistance 120 degrees. Voltage: 220V, rotation speed: 30000r/min, flow rate: 95-150L/min. The tube length is 90mm, the pump body length is 285mm, the pump body width is 110mm, the diameter is 42mm, the inner diameter is 25mm. The weight: 7kg. Length of the tube can be customized at will.	1	0		
MEP04	Insemination equipment (Anesthesia bottle)		44x19x19 weight 4.5kg	1	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
MEP05	Insemination equipment microscope		44x19x19 weight 4.5kg	1	1		
PF02	Rape pollen		1KG/BAG	0	20		
PF04	Mixed pollen		1KG/BAG	0	20		
PF05	Sunflower pollen		1KG/BAG	0	20		
PF06	Buckwheat pollen		1KG/BAG	0	0		











Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
AG009	Bee brooch	 	Material:Environmental alloy with rhinestone	100	0		
AG015	Bee brooch	 	Material:Environmental alloy;Yellow acrylic;yellow rhinestone &red rhinestone	100	0		
AG041	Bee brooch	 	Material:Environmental alloy with KC gold and Rhinestone	100	0		
AG050	Bee brooch	 	Material:Environmental alloy with KC gold and Rhinestone	100	0		
AG062	Bee brooch	 	Material:Environmental zinc alloy with ancient silver and shell	100	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
AG080	Bee brooch	 	Material:Environmental alloy with KC gold; and painting oil	100	0		
AG091	Bee brooch	 	Material:Environmental alloy; Rhinestone and glass	100	0		
AG130	Bee brooch	 	Material:Environmental Zinc alloy with ancient silver and Rhineston	100	0		
AG132	Bee brooch	 	Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil	100	0		
AG134	Bee brooch	 	Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil	100	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
AG149	Bee brooch		Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	0		
AG152	Bee brooch		Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	0		
AG158	Bee brooch		Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	0		
AG177	Bee brooch		Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	0		
AG178	Bee brooch		Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
AG182	Bee brooch	 	Material:Environmental alloy with ancient gold; Rhinestone and painting oil	100	0		
AG192	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	0		
AG200	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and glass	100	0		
AG202	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and pearl	100	0		
AG215	Bee brooch	 	Material:Environmental alloy with ancient silver and Rhinestone	100	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
AG216	Bee brooch		Material:Environmental alloy with ancient silver and Rhinestone	100	0		
AL084	Bee brooch		Material:Environmental alloy and KC gold	100	0		
AL214	Bee brooch		Material:Environmental alloy with ancient silver and Rhinestone	100	0		
AL219	Bee brooch		Material:Environmental alloy with KC gold and painting oil	100	0		
AL242	Bee brooch		Material:Environmental alloy with Ancient silver and Rhinestone	100	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
AL267	Bee brooch	 	Material:Environmental alloy with K gold, Rhinestone, painting oil	100	0		
AL297	Bee brooch	 	Material:Environmental alloy with Ancient silver, painting oil	100	0		
AL320	Bee brooch	 	Material:Environmental alloy with Painting oil	100	0		
AL356	Bee brooch	 	Material:Environmental alloy;KC Gold and Rhinestone	100	0		
AL358	Bee brooch	 	Material:Environmental alloy;KC Gold and Rhinestone	100	0		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-001	Fortune Bee		Material: Plastic & Resin Technique: Plated Color: Golden Size: 17*17*28cm	10	1		
BNC-002	LED Smoker Keychain 44th Apimondia Apiculture bronze medal for Artistic Exhibition		Material: Plastic Diameter: 2.5cm Color: Silver use 3pcs of LR44 button of batteries (no include)	1200	12		
BNC-003	Bee Keychain		Material: Rubber Diameter: 2.5cm	1000	1000		
BNC-004	Trash can		HS: 3926400000 Material: Resin A single size: 65*46*30cm	10	1		
BNC-007	Motobike bee with clock Gold medal on 44th Apimondia		Material: Resin	40	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-009	Bees lifting up honey		Material: Resin HS Code:392640000 size: 25*11*20cm	15	6		
BNC-011	Sweetbee		When press ,she can sing 3 songs Material:Textile & Fabric Size:50cm high	120	24		
BNC-012	Whole set Bottle holder		Material:Resin 1 set(3 designs)	30	6		
BNC-013	Bee money container		Material:Resin Size:10*10*17cm	240	48		
BNC-014	Umbrella with ears and a whistle		Fabric:waterproof cloth Frame:metal Ribs: Zinc-plated Iron Ribs Handle: Auto open plastic handle with A whistle	100	100		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-015	Umbrella of bee and flower		Fabric:Plastic Ribs:Black Metal Open:Auto Open	100	100		
BNC-016	Bee pen holder		Material:Resin Size:9*5*12cm	240	60		
BNC-017	Bee pen holder		Material:Resin Size:9.5*4.5*13cm	240	48		
BNC-018	Trash can		SIZE:43*30*55	10	1		
BNC-019	Trash can		SIZE:43*30*55	10	1		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-020	Guard bee (1.5M)			10	1		
BNC-021	Lawn Music Box		Material:Resin Size:28*42*52cm	5	1		
BNC-023	Greedy bear (1.5m)		Material:Resin size: 1.5m	5	1		
BNC-024	Lovely bee (height: 1.2m)		Material: FRP size: 1.2m	5	1		
BNC-025	Lovely bee (height: 1.2m)		Material: FRP size: 1.2m	5	1		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-026	Lovely bee (height: 1.2m)		Material: FRP size: 1.2m	5	1		
BNC-027	Lovely bee (height: 1.2m)		Material: FRP size: 1.2m	5	1		
BNC-029	Simulation model bee		Material: Resin+PVC(wings) Size: 36*24*14cm	100	24		
BNC-038	Resin model simulation bee		Material: Resin Size: 56*48*42cm Net weight: 4.8kg Safe packing	10	0		
BNC-040	11 designs bee models (11PCS/SET)		Material: Resin Size: 45cm height each design Weight: 1.8kg/pc 1 set include 11 designs	1	5		





Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-042	Bee singer Loudspeaker		Material:Resin Size:76cm height Gross weight: 5.535kg SD/TF card ,can connect with phone and computer	5	0		
BNC-045	Bee helicopter toy		Material:Plastic Size:15*22*11.5cm Type:Helicopter Power:Battery	25	0		
BNC-047	Cartoon bee costumes		Material:Soft plush Adult size	4	0		
BNC-049	Solar Swing bee In the sunlight, leaves can swing		Material:ABS Plastic Size:10*6.5*11.5cm	720	240		
BNC-051	Cartoon bee mascot		Material:Plush Size:30cm/40cm	5	15		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-052	Bee mascot keychain		Material:Rubber Diameter:2.5cm	1000	0		
BNC-053	Electric simulation bee model		Material:TPE Height: 5m/4m /3 m When use electric, can shake head, body & wings , also can make a "buzz" sound	1	0		
BNC-053-9	simulation bee model		Material:TPE	1	0		
BNC-056	Bee mascot inflatable gas model- Fengxiaobao (Can OEM)		Height:8m Material:PVC Type:inflatable bee	1	0		
BNC-057	Outdoor Large inflatable gas model -Fengxiaoya (Can OEM)		Height:8m Material:PVC Type:inflatable bee	1	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-058	Bee mascot model		Material: Resin Size:1.2m height Weight:20kg	1	0		
BNC-059	Outdoor advertising inflatable bee gas model		Height:2.2m NW:5kg GW:6.5kg Material:PVC	1	0		
BNC-060	Barrel heater		Material:Stainless Steel Diameter:40cm Max weight:80kgs Electric:220V/200W Temperature:60°C Net weight:2.5kgs	300	100		
BNC-066	Iron bee gardener		(4 designs/set)	50	0		
BNC-068	Bee shape thermometer		Material:Resin	10	0		




Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-073	Bee anatomical model		Material:Resin Size: 60*60*13 cm Package: 65*46*20cm Weight: 4.3KG	10	0		
BNC-076	Bee development model (Silver Medal for artistic display on 45th Apimondia)		Size: 82.5*26*17cm	1	1		
BNC-077	Sweet Honeybee Carrier		Size: 38*14*28cm	10	0		
BNC-085	Little bee backpack		Size: 32*24*11cm Material: Oxford cloth	0	5		
BNC-086	little bee notebook		Cover material: imitation leather Binding: perfect binding Inner material: double-adhesive paper Weight of inner paper: 80 (g) Inner paper size: 105*165mm Printing LOGO: Yes	0	40		


Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BNC-088	Children Ride On Motorcycle		Newest Plastic Kids Electric Battery Motorcycle with Three Wheels	0	1		
BP01	3D picture			10	0		
BP02	3D picture			10	0		
BP03	3D picture			10	0		
BP04	3D picture			10	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BP05	3D picture	 		10	0		
BP06	3D picture	 		10	0		
BP07	3D picture	 		10	0		
BP08	3D picture	 		10	0		
BP09	3D picture	 		10	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BP10	3D picture			10	0		
BP11	3D picture			10	0		
BP12	3D picture			10	0		
BP13	3D picture			10	0		
BSC002	Bee Accessories		Material: 925 silver	30	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BSC009	Bee Accessories		Material: 925 silver+Platinum plated+Zircon+Dripping oil	30	0		
BSC067	Bee Accessories		Material:925 silver+Plated Platinum +Plated gold+Zircon	30	0		
SCB043	Bee Accessories		Material:925 silver+Oxidation+Zircon+Glass	30	0		
SCB061	Bee Accessories		Material:925 silver+Oxidation+Dripping oil+Zircon	30	0		
SCB104	Bee Accessories		Material:925 silver+Oxidation+Zircon	30	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCC046	Bee Accessories		Material :925 silver + zircon	30	0		
SCC1073	Bee Accessories		Style: Honey comb; Material:925 silver+Oxidation+Zircon+Glass beads	30	0		
SCC1102	Bee Accessories		Material: 925 silver +Oxidation+ Dripping Oil	30	0		
SCC1125	Bee Accessories		Material: 925 silver+Platinum plated+Plated gold+Zircon	30	0		
SCC410	Bee Accessories		Material:925 silver +Oxidation+glass	30	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCC500	Bee Accessories		Style:Charming hive ; Material:925 silver + Oxidation+Dripping oil +Zircon	30	0		
SCC654	Bee Accessories		Style: Bee house Material: 925 silver +Oxidation+Zircon	30	0		
SCC779	Bee Accessories		Style:honeycomb; Material:925silver+Oxidation+dripping oil	30	0		
SCC821	Bee Accessories		Style:Bee story; Material:925 silver+Oxidation+Zircon	30	0		
SCC831	Bee Accessories		Style: Bee Queen; Material:925 silver+Plated gold+Zircon	30	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCC870	Bee Accessories		Style: Hive honey love; Material:925 silver+Plated Platinum +Zircon	30	0		
SCC879	Bee Accessories		Style:honey comb; Material: 925 silver+Oxidation+Zircon	30	0		
SCE149	Bee Accessories		Material: 925 silver+Oxidation+Zircon	30	0		
SCE315	Bee Accessories		Style: Hardworking bees; Material: 925 silver+Oxidation+Dripping Oil+Zircon	30	0		
SCE344	Bee Accessories		Material: 925 silver+Oxidation +Zircon	30	0		






Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCE370	Bee Accessories		Style: Bees' Blessing;925 silver+Platinum plated+Zircon	30	0		
SCE484	Bee Accessories		Material:925 silver+oxidation+Zircon	30	0		
SCN191	Bee Accessories		Material:925 silver+oxidation+Zircon	30	0		
SCN202	Bee Accessories		Material: 925 silver+Oxidation+Dripping Oil+Zircon	30	0		
SCN216	Bee Accessories		Material: 925 silver+Oxidation+Dripping Oil+Zircon	30	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCN221	Bee Accessories		Material: 925 silver+Oxidation+Zircon	30	0		
SCN242	Bee Accessories		Material: 925 silver+Platinum plated+Zircon	30	0		
SCR025	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		
SCR086	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		
SCR292	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCR329	Bee Accessories		Material: 925 silver+Oxidation+Dripping oil+zircon	30	0		
SCR334	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		
SCR348	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		
SCR391	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		
SCR422	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SCR433	Bee Accessories		Material:925 silver+Platinum plated+Zircon	30	0		
SCX103	Bee Accessories		Material:925 silver+ Plated gold+Zircon	30	0		
RC001-1	BB Resin craftwork		Material: Resin product size: 15*21cm (width * height) product weight;580g	5	24		
RC001-2	BB Resin craftwork		Material: Resin product size: 15*21cm (width * height) product weight;580g	5	24		
RC001-3	BB Resin craftwork		Material: Resin product size: 15*19cm (width * height) product weight;580g	5	24		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RC001-4	BB Resin craftwork		Material: Resin product size: 15*21cm (width * height) product weight;580g	5	24		
RC001-5	BB Resin craftwork		Material: Resin product size: 15*21cm (width * height) product weight;580g	5	24		
RC001-6	BB Resin craftwork		Material: Resin product size: 15*21cm (width * height) product weight;580g	0	24		
RC002	BB Resin craftwork		Material: Resin product size: 10*16cm (width * height) product weight;400g	5	24		
RC003	BB Resin craftwork		Material: Resin product size: 8.5*7.5cm (width * height) product weight;165g	5	72		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RC004	Resin craftwork		Material: Resin product size: 10*15cm (width * height) product weight;375g	5	24		
RC005	BB Resin craftwork		Material: Resin product size: 5*11cm (width * height) product weight;108g	5	50		
RC006	Mini double hive model crafts		105g 68*82*84MM	0	100		
RC007	Mini beehive model crafts		100g 115*73*75MM	0	0		
RC008	Mini three-layer beehive model crafts		280g 102*120*180MM	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SIL001	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. minimum order qty:100 pcs. size:6.5x7x3.7cm, weight: 95g	50	0		
SIL002	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. size:9x9x2.3cm, weight: 110g, minimum order qty:100 pcs	50	0		
SIL003	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. size:8.5x4cm, weight: 175g, minimum order qty:100 pcs	50	0		
SIL004	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. size:8.5x4cm, weight: 175g, minimum order qty:100 pcs. Size:9.5x9.5x2.3cm, weight: 100g	50	0		
SIL005	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. minimum order qty:100 pcs. Szie:8.3x7x3cm, weight: 90g	50	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SIL006	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size: 9x7x3.6cm, weight: 96g, minimum order qty:100 pcs.Size:8.5x3.2cm, weight: 160g	50	0		
SIL007	Cylindrical Silicone Mould		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size; 9x7x3.6cm, weight: 96g, minimum order qty:100 pcs	50	0		
SIL008	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size:5.8x6cm(heightxdiameter), weight: 125g, minimum order qty:100 pcs	50	0		
SIL009	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.Size:9x6.7x2.8cm, weight: 120g, minimum order qty:100 pcs	50	0		
SIL010	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.Size:9.2x6.4x2.7cm, weight: 85g, minimum order qty:100 pcs	50	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
SIL011	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. size:7.8x3.2cm, weight: 130g, minimum order qty:100 pcs	50	0		
SIL012	soap silicone mold		New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. Size:6x6.8x3cm, weight: 80g, minimum order qty:100 pcs	50	0		
RS1-1006	Candle silicone mold		Mould Size: Diameter 5.5cm Height 8cm Mould Weight: 130g Product Size: 4.5*7.5cm Product Weight: 88g	0	0		
RS1-1020	Candle silicone mold		Mould Size: Diameter 7.5cm Height 8.5cm Mould Weight: 231g Product Size: Diameter 7cm Height 8cm Product Weight: 260g	0	0		
RS1-1034	bee hive honeycomb mould		Mold size: 7*7*6cm Mold weight: 214g Product size: 5.5*5.5*5cm Product weight: 85g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-1035	Bee Honeycomb Cylindrical Candle Mould		Mould Size: Diameter 6.9cm Height 9.4cm Mould Weight: 212g Product Size: Diameter 5.7cm Height 8cm Product Weight: 118g	0	0		
RS1-1036	Candle silicone mold		Mold size: 6.1*9.2cm(171g) Finished size: 5.1*8.6cm Candle weight: 114g	0	0		
RS1-1070	Candle Silicone Mold		Mold size: diameter 7.5cm height 7.1cm mold weight: 237g product size: diameter 5.3cm height 6cm product weight: 89g	0	0		
RS1-1071	Candle silicone mold		Mould Size: Diameter 6.3cm Height 3.8cm Mould Weight: 69g Product Size: Diameter 4.9cm Height 3.1cm Product Weight: 44g	0	0		
RS1-1157	Candle silicone mold		Mould Size: Diameter 7.8cm Height 11.5cm Mould Weight: 430g Product Size: Diameter 6.5cm Height 10.5cm Product Weight: 135g	0	0		



Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-1159	Candle silicone mold		Mould Size: Diameter 5.6cm Height 17.4cm Mould Weight: 359g Product Size: Diameter 3.5cm Height 16.5cm Product Weight: 105g	0	0		
RS1-1161	Candle silicone mold		Mould Size: Diameter 5cm Height 11cm Mould Weight: 176g Product Size: Diameter 4.2cm Height 9.5cm Product Weight: 87g	0	0		
RS1-1162	Candle silicone mold		Mould Size: Diameter 6cm Height 11.2cm Mould Weight: 185g Product Size: Diameter 4.1cm Height 9.7cm Product Weight: 86g	0	0		
RS1-1164	Candle silicone mold		Mold size: 8*4.5*7.1cm Mold weight: 69g Product size: 7.3*3.9*6.8 Product weight: 64g	0	0		
RS1-1165	Candle silicone mold		Mold size: 7.2*4.2*5.5cm Mold weight: 40g Product size: 6.5*3.8*4.6 Product weight: 36g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-1167	Candle silicone mold		Mould Size: Diameter 5.8cm Height: 5.3cm Mould Weight: 101g Product Size: Diameter 4.5cm Height: 4.7cm Product Weight: 45g	0	0		
RS1-1169	Candle silicone mold		Mold size: 7.4*7.4*12.5cm Mold weight: 345.7g Product size: 6*6**12cm Product weight: 280g	0	0		
RS1-1171	Candle silicone mold		Mold size:11*11*10.5cm(478g) Finished size:10*10cm	0	0		
RS1-1249	Candle silicone mold		Mold size: 6.7*7.89cm(244g) Finished size: 5.3*5.7*8.3cm Candle weight: 100g	0	0		
RS1-1282	Candle silicone mold		Mold size: 9.8*8.1cm(155g) Finished size: 9*7.5cm Candle weight: 270g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-1513	Candle silicone mold		Mold size: 11.2*6cm(173g) Finished size: 10.2*5.2cm Candle weight: 158g	0	0		
RS1-1514	Candle silicone mold		Mold size: 8.6*5.8cm(129g) Finished size: 7.5*4.7cm Candle weight: 119g	0	0		
RS1-1701	Candle silicone mold		Mold size: 8.5*7*12.5cm (175g) Finished size: 6.4*4.4*11.2cm Candle weight: 100g	0	0		
RS1-1702	Candle silicone mold		Mold size: 10.6*6.6*11.3cm(194g) Finished size: 9*5.4* 10.5cm Candle weight: 170g	0	0		
RS1-1720	Candle silicone mold		Mold size: 4.2*18.8cm (203g) Finished size: 2.5*18.3cm Candle weight: 50g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-1721	Candle silicone mold		Mold size: 4.2*19.6cm (231g) Finished size: 2.2*19cm Candle weight: 40g	0	0		
RS1-1770	Candle silicone mold		Mold size: 7*9.9cm (250g) Finished size: 5.3*9cm Candle weight: 158g	0	0		
RS1-2007	Candle silicone mold		Mold size: 3.8*22cm (227g) Finished size: 2.7*21cm Candle weight: 52g	0	0		
RS1-2011	Candle silicone mold		Mold size: 5.26*20.6cm (414g) Finished size: 3.9*20cm Candle weight: 83g	0	0		
RS1-2039	Candle silicone mold		Mold size: 17*15cm (984g) Finished product size: 15.5*14cm Candle weight: 1380g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-2040	Candle silicone mold		Mold size: 15*17cm (742g) Finished size: 13.5*15.3cm Candle weight: 1288g	0	0		
RS1-2043	Candle silicone mold		Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight: 188g	0	0		
RS1-2044	Candle silicone mold		Mold size: 7.4*20.6cm (287g) Finished size: 5.6*9.6cm Candle weight: 215g	0	0		
RS1-2045	Candle silicone mold		Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight: 188g	0	0		
RS1-2046	Candle silicone mold		Mold size: 8.9*11.8cm (323g) Finished size: 7.5*10.3cm Candle weight: 385g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-2197	Candle silicone mold	 The image shows a pink silicone mold on the left and a finished white candle on the right. The mold is labeled with dimensions: 57mm (126g) and 137mm. The candle is labeled with dimensions: 57mm (134g).	Mold size: 62*137mm (340g) Finished product size: 57*133mm Candle weight: 126g	0	0		
RS1-2262	Candle silicone mold	 The image shows a white cylindrical silicone mold on the left and a finished white candle with a spiral pattern on the right. The mold is labeled with dimensions: 9.5CM (154g) and 5.3CM. The candle is labeled with dimensions: 8.4CM (64g) and 4CM.	Mold size: 5.3*9.5cm (154g) Finished product size: 4*8.6cm Candle weight: 64g	0	0		
RS1-2272	Candle silicone mold	 The image shows a white cylindrical silicone mold on the left and a finished red candle with a textured surface on the right. The mold is labeled with dimensions: 8.2cm (149g) and 4.9cm. The candle is labeled with dimensions: 7.9cm (166g) and 5.7cm.	Mold size: 6.9*8.2cm (148g) Finished product size: 5.7*7.9cm Candle weight: 166g	0	0		
RS1-2273	Candle silicone mold	 The image shows a white rectangular silicone mold on the left and a finished red candle with a textured surface on the right. The mold is labeled with dimensions: 8.8cm (165g) and 5.7cm. The candle is labeled with dimensions: 8.4cm (130g) and 4.4cm.	Mold size: 5.7*8.8cm (165g) Finished product size: 4.4*8.4cm Candle weight: 130g	0	0		
RS1-2274	Candle silicone mold	 The image shows a white cylindrical silicone mold on the left and a finished green candle with a textured surface on the right. The mold is labeled with dimensions: 5.8cm (141g) and 7.7cm. The candle is labeled with dimensions: 5.4cm (98g) and 6.1cm.	Mold size: 7.4*6cm (141g) Finished product size: 6.1*5.2cm Candle weight: 98g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-2275	Candle silicone mold		Mold size: 7.7*5.8cm (141g) Finished product size: 6.5*5.4cm Candle weight: 108g	0	0		
RS1-2295	Candle silicone mold		Mold size: 73*148mm (448g) Finished product size: 60*138mm Candle: 200g	0	0		
RS1-2459	Candle silicone mold		Mold size: 109*43*98mm (288g) Finished product size: 96*32*92mm Candle: 174g	0	0		
RS1-2501	Candle silicone mold		Mold size: 85*55*108mm (240g) Finished product size: 76*43*100mm Candle: 155g	0	0		
RS1-2502	Candle silicone mold		Mold size: 75*105mm (318g) Finished product size: 63*93mm Candle: 190g	0	0		











Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-2503	Candle silicone mold		Mold size: 83*105mm (350g) Finished product size: 68*97mm Candle: 220g	0	0		
RS1-2504	Candle silicone mold		Mold size: 90*108mm (225g) Finished product size: 85*95mm Candle: 386g	0	0		
RS1-2529	Candle silicone mold		Mold size: 60*108mm (231g) Finished product size: 52*100mm Candle: 106g	0	0		
RS1-2540	Candle silicone mold		Mold size: 70*117mm (339g) Finished product size: 55*113mm Candle: 115g	0	0		
RS1-2639	Candle silicone mold		Mold size: 70*135mm (220g) Finished product size: 58*130mm Candle weight: 260g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-2640	Candle silicone mold		Mold size: 57*112mm (161g) Finished product size: 43*106mm Candle weight: 113g	0	0		
RS1-2641	Candle silicone mold		Mold size: 64*96mm (173g) Finished product size: 48*90mm Candle weight: 125g	0	0		
RS1-2642	Candle silicone mold		Mold size: 62*57*110mm (139g) Finished product size: 48*47*90mm Candle weight: 136g	0	0		
RS1-2643	Candle silicone mold		Mold size: 76*76mm (176g) Finished product size: 67*72mm Candle weight: 156g	0	0		
RS1-4001	Wick Holder Wax Mop		The product specification is 12.5×2.5mm. The price of the product is a pack of 100. This product is 100 in a small ziplock bag.	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-4002	Three hole wick holder	 A stainless steel three-hole wick holder with dimensions: 10.0cm length, 2.5cm width, and 1.0cm hole diameter. It is shown with a wick inserted.	Product name: Three-hole wick holder Product material: stainless steel Product size: width 2.5 cm diameter 10 cm Product weight: 13.5 grams Quantity: 2000pcs/box If the purchase quantity is less than one box, it will be shipped in a ziplock bag as shown above	0	0		
RS1-4003	Pure cotton wick	 Four spools of pure cotton wick, each 90-100m long.	Product volume weight is about 140 grams, 34 plus dense smokeless cotton wicks , Length: 90-100m	0	1		
RS1-458	Candle silicone mold	 A silicone mold for a Christmas tree candle. Dimensions: Length 8.5cm, Width 7.5cm, Height 14.0cm. A finished green tree candle is shown next to it.	Mould: Length 8.5cm Width 7.5cm Height 14.0cm Mould Weight: 338g Finished Product: Diameter 6.5cm Height 13.0cm Product Weight; 122g	0	0		
RS1-459	Candle silicone mold	 A silicone mold for a Christmas tree candle. Dimensions: Length 7.4cm, Width 6.8cm, Height 10.8cm. A finished green tree candle is shown next to it.	Mould: Length 7.4cm Width 6.8cm Height 10.8cm Mould Weight: 237g Finished Product: Diameter 5.8cm Height 9.8cm Candle Weight: 49g	0	0		
RS1-891	Candle silicone mold	 A silicone mold for a cylindrical candle. Dimensions: Diameter 7cm, Height 8cm. A finished white candle is shown next to it.	Mould: Diameter 7cm High 8cm Mould Weight: 159g Finished Product: Diameter 5cm High 7cm Product Weight: 135g	0	0		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
RS1-930	Candle silicone mold		Mold size: 65*61cm Mold weight: 111g Finished size: 55*55cm Candle weight: 140g	0	0		
RS1-973	Candle silicone mold		Mold size: diameter 8cm, height 7.6cm, mold weight: 267g, product size: diameter 5.5cm, height 6.4cm product weight: 132g	0	0		
RS1-989	Candle silicone mold		Mold size: 13.9*6.2*6.3cm mold weight; 380g product size; 13.7*5.1cm product weight: 89g	0	0		
RS1-994	Candle silicone mold		Mould size: 7.2*7.2*18.5cm Mould weight: 480g Product size: 6*6*18.1cm	0	0		
BC001	beeswax candle		Product weight: 220g a box, product size: diameter * height 40*16mm beeswax content: 40%	100	60		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BC002	beeswax candle		Product weight: 64g a box(2 PCS/box), product size: diameter * height 20*190mm beeswax content: 40%	100	100		
BC003	beeswax candle		Product weight: 115g a box(2 PCS/box), product size: diameter * height 45*65mm beeswax content: 40%	100	90		
BC004	beeswax candle		Product weight: 118g a box(2 PCS/box), product size: diameter * height 40*95mm beeswax content: 40%	100	90		
BC005	beeswax candle		Product weight: 64g a box(2 PCS/box), product size: diameter * height 27*100mm beeswax content: 40%	100	100		
BC006	beeswax candle		Product weight: 250g , product size: Length * width * height 60*60*76mm beeswax content: 40%	100	48		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BC007	beeswax candle	 	Product weight: 315g , product size: diameter * height 65*100mm beeswax content: 40%	100	32		
BC008	beeswax candle	 	Product weight: 268g , product size: diameter * height 65*82mm beeswax content: 40%	100	48		
BC009	beeswax candle	 	Product weight: 321g , product size: diameter * height 65*100mm beeswax content: 40%	100	32		
BC010	beeswax candle	 	Product weight: 725g , product size: diameter * height 100*100mm beeswax content: 40%	100	18		
BC011	beeswax candle	 	Product weight: 122g , product size: diameter * height 65*82mm beeswax content: 40%	100	122		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BC012	beeswax candle		Product weight: 118g , product size: diameter * height 55*70mm beeswax content: 40%	100	90		
BC013	beeswax candle		Product weight: 252g , product size: Length * width * height 60*60*76mm beeswax content: 40%	100	48		
BC014	beeswax candle		Product weight: 158g , product size: diameter * height 40*104mm beeswax content: 40%	100	75		
BC015	beeswax candle		Product weight: 625g , product size: diameter * height 88*100mm beeswax content: 40%	100	24		
BC016	beeswax candle		Product weight: 984g , product size: diameter * height 130*80mm beeswax content: 40%	100	18		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
BC017	beeswax candle		Product weight:525g , product size: diameter * height 82*95mm beeswax content: 40%	100	18		
YL01	Disposable mask (Civil)		50PCS/BOX, 40Boxes/CTN	0	2000		
YL01-4	Kids' mask			0	5000		
YL02	KN95 Respiratory Protection Mask (Civil)		20PCS/Box, 20Boxes/ctn	0	1000		
YL03	Isolation protective clothing (civil)			0	40		

Item No.	Commodity	Picture	Product description	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
YL07	Infrared body thermometer			0	40		
YL07-3	Infrared body thermometer			0	80		
IH01	Insect house		size :27*10*37cm	0	25		
IH02	Insect house		size :8x5.2x9cm	0	50		